
Fungi

- What are the key features of fungi?
- Classification
- Fungi & the environment






Copyright © 2005 Pearson Prentice Hall, Inc.


Key Features

- Not closely related to plants.
- Unicellular or multicellular
- Absorb food: secrete enzymes to digest complex molecules
- Propagate by spores
- Asexual or sexual reproduction
- Haploid
- Can be multinucleated



Fungal Structure


(a)




Copyright © 2005 Pearson Prentice Hall, Inc.

Mycellium = mass of hyphae

Cell wall = Chitin





Copyright © 2005 Pearson Prentice Hall, Inc.

Reproduction

- Asexual by spores from sporangia
- Sexual reproduction by fusing hyphae
- Dispersal mechanisms





Copyright © 2005 Pearson Prentice Hall, Inc.

Types of fungi


- Almost 100,000 species of fungus
- Classified by reproductive mode
- Zygote fungi
- Sac fungi
- Club fungi
- Imperfect fungi
- Lichens

Table 20-1 The Phyla of Fungi				
Common Name (Phylum)	Reproductive Structures	Cellular Characteristics	Economic and Health Impacts	Representative Genera
Chytrids (Chytridiomycota)	Flagellated spores	Cell walls contain chitin; septa are absent	Contribute to decline of frog populations	Batrachochytrium (frog pathogen)
Zygote fungi (Zygomycota)	Produce sexual diploid zygospores	Cell walls contain chitin; septa are absent	Cause soft fruit rot and black bread mold	Rhizopus (causes black bread mold); Pilobolus (dung fungus)
Sac fungi (Ascomycota)	Sexual spores formed in saclike ascus	Cell walls contain chitin; septa are present	Cause molds on fruit; can damage textiles; cause Dutch elm disease and chestnut blight; include yeasts and morels	Saccharomyces (yeast); Ophiostoma (causes Dutch elm disease)
Club fungi (Basidiomycota)	Sexual reproduction involves production of haploid basidiospores on club-shaped basidia	Cell walls contain chitin; septa are present	Cause smuts and rusts on crops; include some edible mushrooms	Amanita (poisonous mushroom); Polyporus (shelf fungus)
O				

Copyright © 2005 Pearson Prentice Hall, Inc.

Zygote fungi

- Zygomycetes
- Rhizopus: bread mold



Copyright © 2005 Pearson Prentice Hall, Inc.



Copyright © 2005 Pearson Prentice Hall, Inc.

Ascomycetes: Sac fungi



Morel

Scarlet cup fungus

Basidomycete: Club fungi

Cap

• Gills: spores



Copyright © 2005 Pearson Prentice Hall, Inc.

Examples

Puffballs



Copyright © 2005 Pearson Prentice Hall, Inc.



Copyright © 2005 Pearson Prentice Hall, Inc.

Stinkhorns

Shelf fungus



Copyright © 2005 Pearson Prentice Hall, Inc.



Copyright © 2005 Pearson Prentice Hall, Inc.

Fairy rings

Imperfect fungi


- We do not know how their sexual reproduction takes place.
- Penicillium spp.



Copyright © 2005 Pearson Prentice Hall, Inc.

Lichens

- Symbiotic relationship with algae or cyanobacteria and a fungus
- Usually a cup fungus



Copyright © 2005 Pearson Prentice Hall, Inc.

Examples



(a) A fruticose (shrub-like) lichen



(b) A foliose (leaf-like) lichen



(c) Crustose (crust-like) lichens

Mycorrhizae

- Fungal roots
- Hyphae grow into root
- Help to deliver nutrients to the plant
- Fungus gets sugar and other molecules

treated with fungicide (poison that kills fungi) to prevent the formation of mycorrhizae in the experimental group. A control group was exposed to fungi that formed mycorrhizae in the soybean plantsi roots.


RESULTS

The soybean plant on the left is typical of the experimental group. Its stunted growth is probably due to a phosphorus de ciency. The taller, healthier plant on the right is typical of the control group and has mycorrhizae.



These results indicate that the presence of mycorrhizae bene ts a soybean plant and support the hypothesis that mycorrhizae enhance the plantis ability to take up phosphate and other needed minerals.


Fungus and health





- Treatment fungal diseases uses Azoles
- Ergosterol biosynthesis in fungi and in cholesterol biosynthesis

Yeast



- Unicellular
- Fermentation
- Alcohol
- Carbon dioxide