

ALGEBRAIC PROPERTIES AND FORMULAS

● Properties of Inequalities

If $a < b$, then $a + c < b + c$

If $a < b$ and $b < c$, then $a < c$

If $a < b$ and $c > 0$, then $ac < bc$

If $a < b$ and $c < 0$, then $ac > bc$

If $ab > 0$ and $a < b$, then $\frac{1}{a} > \frac{1}{b}$

● Properties of Polynomials

$$(x+y)^2 = x^2 + 2xy + y^2$$

$$(x-y)^2 = x^2 - 2xy + y^2$$

$$(x+y)^3 = x^3 + 3x^2y + 3xy^2 + y^3$$

$$(x-y)^3 = x^3 - 3x^2y + 3xy^2 - y^3$$

$$x^2 - y^2 = (x+y)(x-y)$$

$$x^3 + y^3 = (x+y)(x^2 - xy + y^2)$$

$$x^3 - y^3 = (x-y)(x^2 + xy + y^2)$$

● Properties of Absolute Value

$$|a| = a \text{ if } a \geq 0$$

$$|a| = -a \text{ if } a < 0$$

$$|-a| = |a|$$

$$|ab| = |a||b|$$

$$|a+b| \leq |a| + |b|$$

$$|a|^2 = a^2$$

● Properties of Exponents

$a \neq 0$ and m and n are integers

$$a^n = \underbrace{a \cdot a \cdot a \cdots a}_{n \text{ factors}}$$

n factors

$a^{1/n}$ = the n^{th} root of a

$$a^{-n} = \frac{1}{a^n}$$

$$a^{m/n} = (a^{1/n})^m$$

If p and q are positive rational numbers

$$(a^p)^q = a^{p \cdot q} = (a^{1/p})^q$$

$$a^{p/q} = (a^{1/q})^p$$

$$a^p a^q = a^{p+q}$$

$$\frac{a^p}{a^q} = a^{p-q}$$

$$(ab)^p = a^p b^p$$

$$\left(\frac{a}{b}\right)^p = \frac{a^p}{b^p}$$

$$\left(\frac{a}{b}\right)^{-1} = \frac{1}{(a/b)} = \frac{b}{a}$$

● Properties of Logarithms

Suppose $a \neq 1$, $a > 0$, $x > 0$, and $w > 0$.

$$a^{\log_a x} = x$$

$$\log_a a^x = x$$

$$\log_a a = 1$$

$$\log_a 1 = 0$$

$$\log_a xw = \log_a x + \log_a w$$

$$\log_a x^r = r \log_a x$$

$$\log_a \frac{x}{w} = \log_a x - \log_a w$$

$$\log x = \log_{10} x$$

$$\ln x = \log_e x$$


● The Quadratic Formula

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \text{ are the solutions to } ax^2 + bx + c = 0$$


● The Binomial Formula

$$(x+y)^n = x^n + \binom{n}{1} x^{n-1} y + \binom{n}{2} x^{n-2} y^2 + \cdots + \binom{n}{j} x^{n-j} y^j + \cdots + \binom{n}{n-1} x y^{n-1} + y^n$$





GEOMETRIC FORMULAS



Right Triangle



Any Triangle



● Triangles

Pythagorean Theorem

$$a^2 + b^2 = c^2$$

Area

$$A = \frac{1}{2}bh$$

● Circles

Area

$$A = \pi r^2$$

Circumference

$$C = 2\pi r$$

● Cylinders

Surface Area

$$S = 2\pi r^2 + 2\pi rh$$

Volume

$$V = \pi r^2 h$$

● Cones

Surface Area

$$S = \pi r^2 + \pi r\sqrt{r^2 + h^2}$$

Volume

$$V = \frac{1}{3}\pi r^2 h$$

● Spheres


Surface Area

$$S = 4\pi r^2$$

Volume

$$V = \frac{4}{3}\pi r^3$$


TRIGONOMETRIC FUNCTIONS AND LAWS



● Definitions Based on the Circle


$$\begin{array}{ll} \cos \theta = \frac{x}{r} & \sec \theta = \frac{r}{x} \\ \sin \theta = \frac{y}{r} & \csc \theta = \frac{r}{y} \\ \tan \theta = \frac{y}{x} & \cot \theta = \frac{x}{y} \end{array}$$

For the unit circle, $r = 1$



● Definitions Based on the Right Triangle

$$\begin{array}{ll} \cos \theta = \frac{\text{adj}}{\text{hyp}} & \sec \theta = \frac{\text{hyp}}{\text{adj}} \\ \sin \theta = \frac{\text{opp}}{\text{hyp}} & \csc \theta = \frac{\text{hyp}}{\text{opp}} \\ \tan \theta = \frac{\text{opp}}{\text{adj}} & \cot \theta = \frac{\text{adj}}{\text{opp}} \end{array}$$



● Law of Sines

$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

● Law of Cosines

$$a^2 = b^2 + c^2 - 2 bc \cos A$$
$$\cos A = \frac{b^2 + c^2 - a^2}{2 bc}$$