ES202 Lab 4 - Introduction to Sedimentary Structures, Sedimentary Facies, and Stratigraphy

(updated Jan, 2016, 10th edition AGI lab manual)

Part 1 - Introduction to Sedimentary Structures

Examine the samples that are located at the labeled stations in the lab. Answer the associated questions. For reference, use the attached "Sedimentology Tool Kit", and p. 169-170 (Figs. 6.12, 6.13) in your lab manual.

Station 1 - Sedimentation Patterns

Fine "muddy" sediment was mixed with water in the jar, shaken, and left to sit for 1 week. Turn on the light / illuminator, and examine the results. Pay close attention to the subtle distribution of grain size from the bottom of the jar to the top. Answer the following questions:

- A. What are your initial observations of sediment size distribution?
 B. Is the deposit graded or ungraded? (refer to p. 169, Fig. 6.12 of the lab manual for help with these terms).
 C. Where do you find the coarsest sediment? What is it's approximate grain size? (answer in both millimeters, and with the appropriate size term)
 D. Where do you find the finest sediment? What is it's approximate grain size?
- E. What is the implication for grain settling velocity vs. grain diameter? (i.e. which sediment sizes settle faster or first? and which sizes settle slower or last?).
- F. Consider a natural depositional condition in which pebbles, sand, silt and clay are deposited during flood discharge in a broad river valley. What would be a likely arrangement of grain sizes that you might find in such a deposit? (based on your above observations). Draw a diagram to illustrate your answer.

G. Is the sediment sample in the jar "lithified" or "unconsolidated"?
Station 2 - Cross-Bedding
Examine the freshly broken surface of the red rock sample at Station 2A. Answer the following questions.
A. What is the grain size and rock name of this sample?
B. Is this sample well sorted or poorly sorted?
C. Is this sample graded or ungraded?
D. Is this sample best described as massive or cross-bedded? (massive is used where cross-bedding is not evident, refer to p. 169, Fig. 6.12 of your lab manual for diagrams of cross-bedding)
Examine the sample at Station 2B and answer the following questions.
E. What is the grain size and rock name of this sample?
F. Is it well sorted, moderately sorted, or poorly sorted?
G. Is this sample massive or cross-bedded?
H. Using p. 169-170 (Figs. 6.12, 6.13) of your lab manual for comparison, is this sample right-side up, or upside down compared to it's original depositional position?
I. Examine the north arrow taped to the top of the sample. Determine the general compass direction of paleocurrent that prevailed at the time of deposition. (north, east, northeast, or???; refer to p. 169-170 (Figs. 6.12, 6.13) for help in your determination).
Station 3


A. What is the sedimentary structure displayed in this sample?

B. Are these structures symmetric or asymmetric?

C. Can you determine the paleocurrent direction at the time of deposition? If so, what is it (note north arrow on sample).

Station 4 - Sedimentary Processes and Determining "Up Orientation"

Drop the loose shells into the tub of water, repeat 10 times and tabulate your results in the table below. Place a check on the appropriate line, determining whether the shells land convex-up, or concave-up.



Trial No.	Convex Up	Concave Up
1 2 3 4 5 6 7 8 9 10		

A. What can you deduce about the position of a shell that is deposited on the sea floor, when the animal dies?

B. Given your experimental results, do you think the rock sample at this station is currently in a right-side up or upside-down position, relative to it's original depositional environment?

C. The correct answer to 1-4B above is that the rock is currently in a right-side up position. Assuming that this sample was deposited in a shallow-water, near-shore marine environment, suggest a process or processes that might provide an explanation for the discrepancy between your experimental results, and the fact that this sample is in a right-side up position.

Station 5. Examine the glass dish of sediment at Station 5A, complete the following observations: A. What is the grain size? B. Is this sediment sample well, moderately or poorly sorted? C. Is this sample graded or ungraded? D. What is the sedimentary structure that is evident on the sediment surface? E. How did this sedimentary structure form (what are the variables and the process?)? Examine the display at Station 5B, answer the following: F. What is the primary sedimentary structure observable on this sample. G. Which of the following environments of deposition could this rock have formed in? Check all that apply, more than 1 possible. Explain your line of reasoning for each that you check. Environment **Explanation** Deep Ocean Floor

Submarine Fan

River Floodplain

Gravel-dominated mountain stream

Shallow Lake

Tidal Flat

	Examine the sample under the protective glass	- fragile, do not touch!!!
	A. What is the grain size (millimeters and term)	?
	B. Note the polygonal shape of the sample frag in this pattern?	ments, what sedimentary process might result
	C. What are your hypotheses as to the origin of sample?	the small circular patterns on the surface of the
	D. Which of the following environments of depo all that apply, more than 1 possible. Explain yo	
	Environment	Explanation
	Deep Ocean Floor	
	Submarine Fan	
	Tidal Flat	
	River Floodplain	
	Shallow Lake	
	Gravel-dominated mountain stream	
Statio	n 7.	
	Refer to the catalog of sedimentary structures s	shown on p. 169-170 of your lab manual.

Station 6.

A. What type of sedimentary structure is associated with this sample?

	B. Are these structures molds or casts (a mold is a form, a cast is a 3-D object made from the mold)?
	C. Is this sample right-side up or upside down relative to it's original depositional position? How do you know?
	D. Using the north arrow, what is the paleocurrent direction represented in this sample.
Statio	n 8.
	Note the finely layered interval between points A and B on this sample. Refer to the attached Sedimentology Tool Kit, and answer the following questions.
	A. Are these layers best described as bedding or laminations? What is the difference between bedding layers and lamination layers?
	B. Based on your choice above, are these features thin, medium, or thick?
	Refer to the contact between the light gray and dark gray strata at points A and B. Answer the following:
	C. At contact A, is the break in strata sharp (smooth) or irregular (rough)?
	D. At contact B, is the break in strata sharp (smooth) or irregular (rough)?
	E. Based on your observations, and considering the process of erosive scour in a sedimentary environment (erosive scour = high-energy removal of previously deposited sediments), which direction do you think is depositionally right-side up? (i.e. is A toward to top, or is B toward the top?).

Station 9

Examine the stratal interval between Pt. A and Pt. B on Sample S3-39. Using your Sedimentology Tool Kit, make the following observations:

- A. Grain size?
- B. Sorting?
- C. Grain Rounding?
- D. Graded or Ungraded?


E. Referring to **p. 169-170 (Figs. 6.12, 6.13)** of your lab manual, what sedimentary processes result in your answer to 1-9D above?

Station 10.

- A. What does the ring structure of this sample remind you of?
- B. Guess what the name of this sample is?
- C. What could such a sample in rock outcrop tell you about past climate conditions, relative to ancient Earth history?

Station 11 - Clast Shape Measurements


This station consists of 5 black pebbles and 5 light-colored pebbles. Your job is to measure the length of 3 mutually perpendicular axes of diameter, as illustrated below.



For each pebble, measure the short, intermediate, and long axis diameters in CENTIMETERS. Fill in the table below.

Pebble I.D.	Pebble Color	Short Axis (S) (cm)	Intermed. Axis (I) (cm)	Long Axis (L) (cm)	S / I (divide)	I / L (divide)	Shape Type (from graph)
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Now using the attached graph paper, plot each pebble with the ratio of S/I on the x-axis, and the ratio of I/L on the y-axis. Determine the shape type of the pebble from the graph, and write the type in the last column of the table above.



Questions

B. What is the general grain roundness of the pebbles (use your sedimentology tool kit t determine angular, subangular, rounded, etc.).)
C. What does the degree of roundness tell you about the amount of sedimentary transported the grains have been subjected to? (e.g. have they been transported how do you know	
D. Keeping in mind sedimentary processes, construct hypotheses to explain the patterns you observe on your graph. What might explain the differences in grain shape between light and black pebbles?	
Station 12	
A. Does this sample fizz with a drop of dilute HCI?	
B. What is this sample mainly comprised of? Describe your visual observations	
C. Which of the following environments of deposition could this rock have formed in? Cl all that apply, more than 1 possible (refer to page 165, Fig. 6.10, of lab manual for he Explain your line of reasoning.	

Explanation

Yes?	No.?	
		Mountain River System
		Antarctic Continental Glacier
		Tropical Rainforest (nonmarine)
		Shallow, tropical marine environment
		Reef off the coast of Australia
		The deepest depths of the ocean (e.g. ~30,000 ft below sea level)

Station 13.

Use your Sedimentology Tool Kit and lab manual to answer the following:

- A. What is the name of this sedimentary rock?
- B. Grain roundness of the gravel clasts?
- C. What is the sorting of this sample?
- D. Is this sample graded or ungraded?
- E. Do you think that this rock represents a wind-blown sedimentary deposit? Explain your answer, why or why not.

Station 14.

Use your lab book and tool kit to answer the following. You know what to do...

- A. What is the name of the primary sedimentary structure displayed in this sample?
- B. Are these features symmetrical or asymmetrical?
- C. Can you determine a paleocurrent direction in this sample? If so, use the north arrow and determine.
- D. What type of sedimentary environment does this type of structure form in?

Station 15. Outcrop photograph – This photo shows a sedimentary deposit exposed at the Earth's surface. Observe and answer the following questions:

- A. Is this deposit lithified bedrock or unconsolidated sediment?
- B. The thin yellow stick in the photo is a jacob's staff that is approximately 1.5 m long. How thick is the deposit shown in the outcrop (answer in meters).
- C. Is this deposit well sorted or poorly sorted?
- D. Is this deposit in a marine or non-marine depositional environment?
- E. Which is the best interpretation for the depositional environment? (deep marine, shallow marine, tidal mudflat, coal swamp, wind-blown dune, landslide, river, lake). Explain your line of reasoning.

Part 2 - Introduction to Sedimentary Facies and Stratigraphy

Sedimentary facies refer to the physical, chemical and biological aspects of sedimentary rock. The type of sedimentary facies is related back to the depositional environment that led to the formation of the rock. For example, peat and coal start out as accumulations of plant matter (trees / grasses) in terrestrial bogs or swamps. We can observe this relationship directly in modern day environments. So the implication is, if one identifies coal in the rock record, then it indicates deposition in an ancient terrestrial swamp.

Stratigraphy involves the study of rock sequences both spatially and temporally (with respect to Earth history / time). Stratigraphy is a fundamental area of study in geology as it is the foundation upon which Earth history is derived. For example, stratigraphic observations of changes in fossilized animal remains in the rock record provides a critical evidence that supports Darwin's concept of evolution through time.

Stratigraphic analysis involves the study of rock sequences with respect to their spatial and temporal distribution. Since sediments are commonly deposited under the influence of gravity in a fluid medium, sedimentary rocks are commonly layered and stacked in **stratigraphic sequences**. Analysis of sedimentary facies and stratigraphic position permits the reconstruction of ancient sedimentary environments through geologic time.

Stratigraphy Exercise

The bookshelf at the front of the lab contains a stratigraphic sequence of sedimentary rock layers. The rock units are numbered from 1 to 11 and the thickness is listed on the note card (e.g. t = 30 m ... reads as "this bed is 30 m thick"). Your job is to construct a stratigraphic column of the "rock outcrop", and make interpretations of sedimentary environments and changes through time. Since the "outcrop" is spatially limited to one locality, you will be asked to analyze the changes that occurred at this site through time.

Step 1 - Starting at the bottom of the stratigraphic sequence, fill in the chart below.

Rock Unit Name	Rock Type (i.d. using your lab manual)	Thickness (meters)	Environment of Deposition (choose from list below).	List Key Evidence Used to Interpret Env. of Deposition
Unit 11				
Unit 10				
Unit 9				
Unit 8				
Unit 7				
Unit 6				
Unit 5				
Unit 4				
Unit 3				
Unit 2				
Unit 1				

Key to Use in Identifying Environments of Deposition (Use in Combination with p. 165 in Lab Manual)

Environment (in no particular order)	Key Evidence
Nonmarine (terrestrial / land-derived)	Plant Fossils, Lack of Marine Fossils
Nonmarine / volcanic	Volcanic Rock
Swamp (warm, wet environment)	Coal
Evaporating Lake or Bay (warm, dry env.)	Evaporite Deposits (e.g. rock salt / gypsum)
River Channel Deposit	Cross-bedded sandstone, no marine fossils
River Channel Gravel	Conglomerate / Rounded Gravel, no marine fossils
Tidal Flat (wetting / drying)	Mudcracks, Fine-Grained Sediments
Deep Ocean	Shale (clay, no plant fossils)
River Floodplain	Fine mudstone (plant fossils)
Beach Deposit	Coquina (shell deposits)
Shallow Marine Shelf (warm ocean water)	Fossiliferous Limestone ("calcirudite")
Offshore Marine / Intermediate Water Depth (warm)	Micrite / Microcrystalline Limestone

Questions.
2-1. What is the oldest rock unit in the stratigraphic sequence? What is the youngest rock unit?
2-2. Given that Unit 1 has been dated as being 60 million years old, and Unit 11 is 55 million years old. What was the sedimentation rate for this particular stratigraphic sequence (Sed. Rate = thickness of accumulation / time of accumulation). Give your answer in meters per year.
2-3. Comment on the climate change that had taken place between the time of deposition of Unit 5 and Unit 7. Give your answer in terms of relative temperature and precipitation (e.g. wetter and colder, etc.)
2-4. By examining unit 4, do you think that this rock was deposited in a tundra environment that was frozen year round? Why or why not.
2-5. Based on your stratigraphic analysis, what happened to relative sea level from the time of Unit 2 through that of Unit 11? (i.e. what happened to this area during the geologic time interval covered by the stratigraphic section?).

2-6. Hypothesize mechanisms that could result in the sea level relationships that you discussed in question 2-5 above.

G202 Lab 4 Part 3 – Outcrop interpretation from field photos.



Outcrop A: In the space below, draw a sketch of major bedding contacts and stratigraphic breaks in this section of rocks. On your diagram label, to the best of your interpretive ability, fine-grained lithofacies (mudstone/shale) and coarse-grain lithofacies (sandstone/conglomerate). In your drawing, show the geometry of the outcrop and all major bedding breaks and orientations

Outcrop B: In the space below, draw a sketch of major bedding contacts and stratigraphic breaks in this section of rocks. On your diagram label, to the best of your interpretive ability, fine-grained lithofacies (mudstone/shale) and coarse-grain lithofacies (sandstone). In your drawing, show the internal crossing bedding and all major bedding breaks and orientations



Thinking Question: How does outcrop B compare to outcrop A? Does it represent a higher-energy depositional environment? A lower depositional environment? Provide an interpretation as to where each of these deposits may form (e.g. lake, river, shallow ocean, deep ocean, desert? Explain your answer.



Thinking Question: How does the scale of the cross-bedding in outcrop C compare to outcrop B? Which ones are bigger, determine the thickness of each in meters. Does it represent a higher-energy depositional environment? A lower depositional environment? Which direction(s) is (are) the paleocurrent oriented in outcrop C? To the right, to the left? to the front? to the back? Draw arrows on your sketch showing the paelocurrent directions.

Outcrop B: In the space below, draw a sketch of major bedding contacts and stratigraphic breaks in this section of rocks. On your diagram label, to the best of your interpretive ability, fine-grained lithofacies (mudstone/shale) and coarse-grain lithofacies (sandstone). In your drawing, show the internal crossing bedding and all major bedding breaks and orientations.



TABLE 5.2 Methods of measuring sediment grain size

Type of sample	Sample grade	Method of analysis		
Unconsolidated sediment	Boulders Cobbles Pebbles	Manual measurement of individual clasts		
	Granules Sand Silt	Sieving or settling tube analysis		
	Clay	Pipette analysis, photohydrometer, Coulter counter		
Lithified sedimentary rock	Boulders Cobbles Pebbles	Manual measurement of individual clasts		
	Granules Sand Silt	Thin-section measurement		
	Clay	Electron microscope		

TABLE 5.1 Grain-size scale for sediments, showing Wentworth size classes, equivalent phi (ϕ) units, and sieve numbers of U.S. Standard Sieves corresponding to various millimeter and ϕ sizes

	U.S. Standard sieve mesh	Millimet	ers	Phi (φ) units	Wentworth size class
		4096		-12	
		1024 256	256	- 10 8	Boulder
ب		230 64	64		Cobble
Ξ			·		
GRAVEL		16		- 4	Pebble
<u>5</u>	5	4	4		
	6	3.36		- 1.75	
	7	2.83		- 1.5	Granule
		2.38		- 1.25	
	12	2.00 1.68	2	= 1.0 = 0.75	
	14	1.41		- 0.75 - 0.5	Very coarse sand
	16	1.19		- 0.3 - 0.25	very coarse sand
	18	1.00	1	0.0	
	20	0.84		0.25	
	25	0.71		0.5	Coarse sand
	30	0.59		0.75	
	35	0.50	1/2	1.0	
Ω	40	0.42		1.25	
SAND	45	0.35		1.5	Medium sand
Š	50	0.30		1.75	
	60	0.25	V ₄	2.0	···
	70	0.210		2.25	
	80	0.177		2.5	Fine sand
	100	0.149	14	2.75	
	120 140	0.125 0.105	Vs	3.0 3.25	
	170	0.105		3.25 3.5	Very fine sand
	200	0.074		3.75	very line sand
	230	0.0625	V16	4.0	
T	270	0.053	/ · · · · · · · · · · · · · · · · · · ·	4.25	
	325	0.044		4,5	Coarse silt
	⊢	0.037		4.75	
ĺ	SILT	0.031	V32	5.0	
			¹ /84	6.0 <u></u>	Medium silt
പി					Fine silt
95 15		0.0039	1/256	8.0	Very fine silt
2		0.0020		9.0	
į	X	0.00098		10.0	Clay
	CLAY	0.00049		11.0	
	ਹ	0.00024		12.0	
		0.00012		13.0	






Figure 6.4 Chart for the field estimation of sorting (modified from Folk 1968).

Diameter = 2.0 mm	Diameter ≂ 1.0 mm	Diameter = 0.5 mm	Diameter = 0.25 mm	Diameter = 0.0625 mm
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			

FIGURE 6.1 Terms used for describing the thickness of beds and laminae. (Modified from McKee, E. D., and G. W. Weir, 1953, Terminology for stratification and cross-stratification is sedimentary rocks: Geol. Soc. America Bull., v. 64, Table 2, p. 383; and Ingram, R. L., 1954, Terminology for the thickness of stratification and parting units in sedimentary rocks: Geol. Soc. America Bull., v. 65, Fig. 1, p. 937.)









TABLE 5.6 Relation of Powers' verbal rounding classes to Wadell roundness and Folk's rho (p) scale


Powers verbal class	Corresponding Wadell class interval	Folk's rho (p) scale
Verv angular	0.12-0.17	0.00-1.00
Angular	0.17-0.25	1.00-2.00
Subangular	0.25-0.35	2.00-3.00
Subrounded	0.35-0.49	3.00-4.00
Rounded	0.49-0.70	4.00-5.00
Well rounded	0.70-1.0	5.00-6.00

Source: Powers, M. C., 1953, A new roundness scale for sedimentary particles: Jour. Sedimentary Petrology, v. 23, p. 117-119. Folk, R. L., 1955, Student operator error in determination of roundness, sphericity, and grain size: Jour. Sedimentary Petrology, v. 25, p. 297-301.


Styles of Vertical Grain Size Grading in Sedimentary Deposits



Massive (Ungraded)



Normal Grading (Fining Upwards)



Reverse Grading (Coarsening Upwards)