

### APPENDIX 7

Table for length conversion

Unit	mm	cm	m	km	in	ft	yd	mi
1 millimeter	1	0.1	0.001	$10^{-6}$	0.0397	0.00328	0.00109	$6.21 \times 10^{-7}$
1 centimeter	10	1	0.01	0.0001	0.3937	0.0328	0.0109	$6.21 \times 10^{-6}$
1 meter	1000	100	1	0.001	39.37	3.281	1.094	$6.21 \times 10^{-4}$
1 kilometer	$10^6$	$10^5$	1000	1	39,370	3281	1093.6	0.621
1 inch	25.4	2.54	0.0254	$2.54 \times 10^{-5}$	1	0.0833	0.0278	$1.58 \times 10^{-5}$
1 foot	304.8	30.48	0.3048	$3.05 \times 10^{-4}$	12	1	0.333	$1.89 \times 10^{-4}$
1 yard	914.4	91.44	0.9144	$9.14 \times 10^{-4}$	36	3	1	$5.68 \times 10^{-4}$
1 mile	$1.61 \times 10^6$	$1.01 \times 10^5$	$1.61 \times 10^3$	1.6093	63,360	5280	1760	1

### APPENDIX 8

Table for area conversion

Unit	cm <sup>2</sup>	m <sup>2</sup>	km <sup>2</sup>	ha	in <sup>2</sup>	ft <sup>2</sup>	yd <sup>2</sup>	mi <sup>2</sup>	ac
1 sq. centimeter	1	0.0001	$10^{-10}$	$10^{-8}$	0.155	$1.08 \times 10^{-3}$	$1.2 \times 10^{-4}$	$3.86 \times 10^{-11}$	$2.47 \times 10^{-8}$
1 sq. meter	$10^4$	1	$10^{-6}$	$10^{-4}$	1550	10.76	1.196	$3.86 \times 10^{-7}$	$2.47 \times 10^{-4}$
1 sq. kilometer	$10^{10}$	$10^6$	1	100	$1.55 \times 10^9$	$1.076 \times 10^7$	$1.196 \times 10^6$	0.3861	247.1
1 hectare	$10^8$	$10^4$	0.01	1	$1.55 \times 10^7$	$1.076 \times 10^5$	$1.196 \times 10^4$	$3.861 \times 10^{-3}$	2.471
1 sq. inch	6.452	$6.45 \times 10^{-4}$	$6.45 \times 10^{10}$	$6.45 \times 10^{-8}$	1	$6.94 \times 10^{-3}$	$7.7 \times 10^{-4}$	$2.49 \times 10^{-10}$	$1.574 \times 10^{-7}$
1 sq. foot	929	0.0929	$9.29 \times 10^{-8}$	$9.29 \times 10^{-6}$	144	1	0.111	$3.587 \times 10^{-8}$	$2.3 \times 10^{-5}$
1 sq. yard	8361	0.8361	$8.36 \times 10^{-7}$	$8.36 \times 10^{-5}$	1296	9	1	$3.23 \times 10^{-7}$	$2.07 \times 10^{-4}$
1 sq. mile	$2.59 \times 10^{10}$	$2.59 \times 10^6$	2.59	259	$4.01 \times 10^9$	$2.79 \times 10^7$	$3.098 \times 10^6$	1	640
1 acre	$4.04 \times 10^7$	4047	$4.047 \times 10^{-3}$	0.4047	$6.27 \times 10^6$	43,560	4840	$1.562 \times 10^{-3}$	1

### APPENDIX 9

Table for volume conversion

Unit	mL	liters	m <sup>3</sup>	in <sup>3</sup>	ft <sup>3</sup>	gal	ac-ft	million gal
1 milliliter	1	0.001	$10^{-6}$	0.06102	$3.53 \times 10^{-5}$	$2.64 \times 10^4$	$8.1 \times 10^{-10}$	$2.64 \times 10^{-10}$
1 liter	$10^3$	1	0.001	61.02	0.0353	0.264	$8.1 \times 10^{-7}$	$2.64 \times 10^{-7}$
1 cu. meter	$10^6$	1000	1	61,023	35.31	264.17	$8.1 \times 10^{-4}$	$2.64 \times 10^{-4}$
1 cu. inch	16.39	$1.64 \times 10^{-2}$	$1.64 \times 10^{-5}$	1	$5.79 \times 10^{-4}$	$4.33 \times 10^{-3}$	$1.218 \times 10^{-8}$	$4.329 \times 10^{-9}$
1 cu. foot	28,317	28.317	0.02832	1728	1	7.48	$2.296 \times 10^{-5}$	$7.48 \times 10^6$
1 U.S. gallon	3785.4	3.785	$3.78 \times 10^{-3}$	231	0.134	1	$3.069 \times 10^{-6}$	$10^6$
1 acre-foot	$1.233 \times 10^9$	$1.233 \times 10^6$	1233.5	$75.27 \times 10^6$	43,560	$3.26 \times 10^5$	1	0.3260
1 million gallons	$3.785 \times 10^9$	$3.785 \times 10^6$	3785	$2.31 \times 10^8$	$1.338 \times 10^5$	$10^6$	3.0684	1

### APPENDIX 10

Table for time conversion

Unit	sec	min	hours	days	years
1 second	1	$1.67 \times 10^{-2}$	$2.77 \times 10^{-4}$	$1.157 \times 10^{-5}$	$3.17 \times 10^{-8}$
1 minute	60	1	$1.67 \times 10^{-2}$	$6.94 \times 10^{-4}$	$1.90 \times 10^{-6}$
1 hour	360	60	1	$4.17 \times 10^{-2}$	$1.14 \times 10^{-4}$
1 day	$8.64 \times 10^4$	1440	24	1	$2.74 \times 10^{-3}$
1 year	$3.15 \times 10^7$	$5.256 \times 10^5$	8760	365	1

Appendix 9.A. Continued  
Velocity

Unit	Equivalent <sup>1,2</sup>				
	feet per day	kilometers per hour	feet per second	miles per hour	meters per second
feet per day	1	$1.27 \times 10^{-5}$	$1.157 \times 10^{-5}$	$7.891 \times 10^{-6}$	$3.528 \times 10^{-6}$
kilometers per hour	$7.874 \times 10^4$	1	0.9113	0.6214	0.2778
feet per second	$8.64 \times 10^4$	1.097	1	0.6818	0.3048
miles per hour	$1.267 \times 10^5$	1.609	1.467	1	0.447
meters per second	$2.835 \times 10^5$	3.6	3.281	2.237	1

Mass

Unit	Equivalent <sup>1,2</sup>						
	ounce	pound	kilogram	metric slug	short ton	metric ton	long ton
ounce	1	$6.25 \times 10^{-2}$	$2.835 \times 10^{-2}$	$2.891 \times 10^{-3}$	$1.943 \times 10^{-3}$	$2.835 \times 10^{-3}$	$2.79 \times 10^{-3}$
pound	16	1	0.4536	$4.625 \times 10^{-2}$	$3.108 \times 10^{-2}$	$4.536 \times 10^{-2}$	$4.464 \times 10^{-2}$
kilogram	35.28	2.205	1	0.102	$6.852 \times 10^{-2}$	0.001	$9.842 \times 10^{-4}$
metric slug	345.9	21.62	9.807	1	0.6721	$9.807 \times 10^{-3}$	$9.651 \times 10^{-3}$
slug	514.7	32.17	14.59	1.49	62.17	$1.459 \times 10^{-2}$	$1.436 \times 10^{-2}$
short ton	$3.2 \times 10^4$	2,000	907.2	92.51	62.16	0.907	0.8929
metric ton	$3.528 \times 10^4$	2,205	1,000	102	68.52	1	0.9842
long ton	$3.584 \times 10^4$	2,240	1,016	103.7	69.63	1.016	1

Force

Unit	Equivalent <sup>1,2</sup>		
	dyne	newton	pound <sub>force</sub>
dynes	1	$1 \times 10^{-5}$	$2.248 \times 10^{-6}$
newtons	$1 \times 10^5$	1	0.2248
pound <sub>force</sub>	$4.448 \times 10^5$	4.448	1
kilogram <sub>force</sub>	$9.807 \times 10^5$	9.807	2.205

Density

Unit	Equivalent <sup>1,2</sup>			
	pounds per cubic inch	pounds per cubic foot	pounds per gallon	grams per liter
pounds per cubic inch	1	1,728	231	$2.768 \times 10^4$
pounds per cubic foot	$5.787 \times 10^{-4}$	1	0.1337	16.02
pounds per gallon	$4.33 \times 10^{-3}$	7.481	1	119.8
grams per cubic centimeter	$3.61 \times 10^{-2}$	62.43	8.345	1,000
grams per liter	$3.61 \times 10^{-3}$	$6.24 \times 10^{-2}$	$8.35 \times 10^{-3}$	1

APPENDIX 9.A.  
Conversion Tables

Length

Unit	Equivalent <sup>1,2</sup>				
	millimeters	inches	feet	meters	kilometers
millimeters	1	$3.937 \times 10^{-2}$	$3.281 \times 10^{-3}$	$1 \times 10^{-3}$	$1 \times 10^{-6}$
inches	25.4	1	$8.33 \times 10^{-2}$	$2.54 \times 10^{-2}$	$2.54 \times 10^{-5}$
feet	304.8	12	1	0.3048	$3.048 \times 10^{-4}$
meters	1,000	39.37	3.281	1	$1 \times 10^{-3}$
kilometers	$1 \times 10^6$	$3.937 \times 10^4$	3,281	1,000	1
miles	$1.609 \times 10^6$	$6.336 \times 10^4$	5,280	1,609	1

Area

Unit	Equivalent <sup>1,2</sup>						
	square inches	square feet	square meters	acres	hectares	square kilometers	square miles
square inches	1	$6.944 \times 10^{-3}$	$6.452 \times 10^{-4}$	$1.994 \times 10^{-8}$	$6.452 \times 10^{-8}$	$6.452 \times 10^{-10}$	$2.491 \times 10^{-10}$
square feet	144	1	$9.29 \times 10^{-2}$	$2.296 \times 10^{-5}$	$9.29 \times 10^{-9}$	$9.29 \times 10^{-8}$	$3.597 \times 10^{-8}$
square meters	1,550	10.76	1	$2.471 \times 10^{-4}$	$1 \times 10^{-4}$	$1 \times 10^{-6}$	$3.861 \times 10^{-7}$
acres	$6.273 \times 10^6$	$4.356 \times 10^4$	4,047	1	0.4047	$4.047 \times 10^{-3}$	$1.563 \times 10^{-3}$
hectares	$1.55 \times 10^7$	$1.076 \times 10^5$	$1 \times 10^4$	2.471	1	0.01	$3.861 \times 10^{-3}$
square kilometers	$1.55 \times 10^9$	$1.076 \times 10^7$	$1 \times 10^6$	247.1	100	1	0.3861
square miles	$4.014 \times 10^9$	$2.789 \times 10^7$	$2.59 \times 10^6$	640	259	2.59	1

Volume

Unit	Equivalent <sup>1,2</sup>						
	cubic inches	liters	gallons	cubic feet	cubic yards	cubic meters	acre-ft
cubic inches	1	$1.639 \times 10^{-2}$	$4.379 \times 10^{-3}$	$5.787 \times 10^{-4}$	$2.143 \times 10^{-5}$	$1.639 \times 10^{-5}$	$1.379 \times 10^{-8}$
liters	61.02	1	0.2642	$3.531 \times 10^{-2}$	$1.308 \times 10^{-3}$	0.001	$8.108 \times 10^{-7}$
gallons	231.0	3.785	1	0.1337	$4.951 \times 10^{-3}$	$3.785 \times 10^{-3}$	$3.068 \times 10^{-6}$
cubic feet	1,728	28.32	7.481	1	$3.704 \times 10^{-2}$	$2.832 \times 10^{-3}$	$2.296 \times 10^{-5}$
cubic yards	$4.666 \times 10^4$	764.6	202.0	27	1	0.7646	$6.198 \times 10^{-4}$
cubic meters	$6.102 \times 10^4$	1,000	264.2	35.31	1.308	1	$8.108 \times 10^{-4}$
acre-ft	$7.527 \times 10^7$	$1.233 \times 10^6$	$3.259 \times 10^5$	$4.356 \times 10^4$	1,613	1,233	1

Discharge (flow rate, volume/time)

Unit	Equivalent <sup>1,2</sup>			
	gallons per minute	liters per second	acre-feet per day	cubic meters per day
gallons per minute	1	$6.309 \times 10^{-2}$	$4.419 \times 10^{-3}$	$2.228 \times 10^{-3}$
liters per second	15.85	1	$7.005 \times 10^{-2}$	$3.531 \times 10^{-2}$
acre-feet per day	226.3	14.28	1	0.5042
cubic feet per second	448.8	28.32	1.983	1
cubic meters per day	$1.369 \times 10^6$	$8.64 \times 10^7$	$6.051 \times 10^6$	$3.051 \times 10^6$

TABLE 4.1 English and SI Units

$1 N = 1 Kg \cdot m / sec^2$

Parameter	English Unit	SI Unit	Conversion Factor	Dimensional Formula
Force	pound (lb)	newton (N)	1 lb = 4.448 N	$ML/T^2$
Mass	slug	kilogram (kg)	1 slug = 14.594 kg	M
Length	foot (ft)	meter (m)	1 ft = 0.3048 m	L
Time	second (s)	second	1 s = 1 s	T
Density	slug/ft <sup>3</sup>	kg/m <sup>3</sup>	1 slug/ft <sup>3</sup> = 515.4 kg/m <sup>3</sup>	$M/L^3$
Specific weight	lb/ft <sup>3</sup>	N/m <sup>3</sup>	1 lb/ft <sup>3</sup> = 157.1 N/m <sup>3</sup>	$M/L^2T^2$
Pressure	lb/ft <sup>2</sup>	N/m <sup>2</sup>	1 lb/ft <sup>2</sup> = 47.88 N/m <sup>2</sup>	$M/LT^2$
Dynamic viscosity	lb-s/ft <sup>2</sup>	N-s/m <sup>2</sup>	1 lb-s/ft <sup>2</sup> = 47.88 N-s/m <sup>2</sup>	$M/LT$
Bulk modulus	lb/ft <sup>2</sup>	N/m <sup>2</sup>	1 lb/ft <sup>2</sup> = 47.88 N/m <sup>2</sup>	$M/LT^2$

$g = \text{ACCELERATION DUE TO GRAVITY} = 9.8 \text{ m/sec}^2$

Equations for areas and volumes

- Circumference of circle =  $3.1416 \times \text{dia} = 6.2832 \times \text{radius}$
- Area of circle =  $0.7854 \times (\text{dia})^2 = 3.1416 \times (\text{radius})^2$
- Area of sphere =  $3.1416 \times (\text{dia})^2$
- Volume of sphere =  $0.5236 \times (\text{dia})^3$
- Area of triangle =  $0.5 \times \text{base} \times \text{height}$
- Area of trapezoid =  $0.5 \times \text{sum of the two parallel sides} \times \text{height}$
- Area of square, rectangle, or parallelogram =  $\text{base} \times \text{height}$
- Volume of pyramid =  $\text{area of base} \times 1/3 \text{ height}$
- Volume of cone =  $0.2618 \times (\text{dia of base})^2 \times \text{height}$
- Volume of cylinder =  $0.7854 \times \text{height} \times (\text{dia})^2$

Pressure

Unit	Equivalent <sup>1,2</sup>										
	pounds per square inch	pounds per square feet	atmospheres	kilograms per square centimeter	kilograms per square meter	inches of water (68°F)	feet of water (68°F)	inches of mercury (32°F)	millimeters of mercury (32°F)	bars	kilo Pascals
pounds per square inch	1	144	$6.805 \times 10^{-2}$	$7.031 \times 10^{-3}$	703.1	27.73	2.311	2.036	51.72	$6.895 \times 10^{-2}$	6.895
pounds per square feet	$6.945 \times 10^{-3}$	1	$4.73 \times 10^{-4}$	$4.88 \times 10^{-4}$	4.882	0.1926	$1.605 \times 10^{-2}$	$1.414 \times 10^{-2}$	0.3591	$4.79 \times 10^{-4}$	$4.79 \times 10^{-2}$
atmospheres	14.7	2,116	1	1.033	$1.033 \times 10^4$	407.5	33.96	29.92	760	1.013	101.3
kilograms per square centimeter	14.22	2,048	0.9678	1	$1 \times 10^4$	394.4	32.87	28.96	735.6	0.9807	98.07
kilograms per square meter	$1.422 \times 10^{-3}$	0.2048	$9.678 \times 10^{-5}$	0.001	1	$3.944 \times 10^{-2}$	$3.287 \times 10^{-3}$	$2.896 \times 10^{-3}$	$7.356 \times 10^{-2}$	$9.807 \times 10^{-3}$	$9.807 \times 10^{-3}$
inches of water (68°F)	$3.609 \times 10^{-2}$	5.197	$2.454 \times 10^{-3}$	$2.53 \times 10^{-3}$	25.38	1	$8.333 \times 10^{-2}$	$7.343 \times 10^{-2}$	1.865	$2.49 \times 10^{-3}$	0.249
feet of water (68°F)	0.4328	62.32	$2.945 \times 10^{-3}$	$3.043 \times 10^{-3}$	304.3	12	1	0.8812	22.38	$2.984 \times 10^{-2}$	2.984
inches of mercury (32°F)	0.4912	70.73	$3.342 \times 10^{-3}$	$3.453 \times 10^{-3}$	345.3	13.62	1.135	1	25.4	$3.386 \times 10^{-2}$	3.386
millimeters of mercury (32°F)	$1.934 \times 10^{-2}$	2.785	$1.316 \times 10^{-3}$	$1.36 \times 10^{-3}$	13.6	0.5362	$4.468 \times 10^{-2}$	$3.937 \times 10^{-2}$	1	$1.333 \times 10^{-3}$	0.1333
bars	14.5	2,089	0.9869	1.02	$1.02 \times 10^4$	402.2	33.51	29.53	750.1	1	100
kilo Pascals	0.145	20.89	$9.869 \times 10^{-3}$	$1.02 \times 10^{-2}$	102	4.022	0.3351	0.2953	7.501	0.01	1

**APPENDIX 14**  
**Absolute density and absolute viscosity of water**

Temperature (°C)	Density (kg/m <sup>3</sup> )	Density (g/cm <sup>3</sup> )	Viscosity (g/s-cm)
0	999.841	0.999841	0.017921
1	999.900	0.999900	0.017313
2	999.941	0.999941	0.016728
3	999.965	0.999965	0.016191
4	999.973	0.999973	0.015674
5	999.965	0.999965	0.015188
6	999.941	0.999941	0.014728
7	999.902	0.999902	0.014284
8	999.849	0.999849	0.013860
9	999.781	0.999781	0.013462
10	999.700	0.999700	0.013077
11	999.605	0.999605	0.012713
12	999.498	0.999498	0.012363
13	999.377	0.999377	0.012028
14	999.244	0.999244	0.011709
15	999.099	0.999099	0.011404
16	998.943	0.998943	0.011111
17	998.774	0.998774	0.010828
18	998.595	0.998595	0.010559
19	998.405	0.998405	0.010299
20	998.203	0.998203	0.010050
21	997.992	0.997992	0.009810
22	997.770	0.997770	0.009579
23	997.538	0.997538	0.009358
24	997.296	0.997296	0.009142
25	997.044	0.997044	0.008937
26	996.783	0.996783	0.008737
27	996.512	0.996512	0.008545
28	996.232	0.996232	0.008360
29	995.944	0.995944	0.008180
30	995.646	0.995646	0.008007
35	994.029	0.994029	0.007225
40	992.214	0.992214	0.006560
45	990.212	0.990212	0.005988
50	988.047	0.988047	0.005494

**NOTATION**

<b>a</b>	Acceleration
<b>A</b>	Area
<b>A<sub>t</sub></b>	Cross-sectional area of a falling-head tube
<b>A<sub>c</sub></b>	Cross-sectional area of a permeameter sample chamber
<b>b</b>	Aquifer thickness
<b>c</b>	Shape factor
<b>c<sub>u</sub></b>	Uniformity coefficient
<b>d</b>	Grain size
<b>D</b>	Distance
<b>d<sub>i</sub></b>	Inside diameter of falling-head tube
<b>d<sub>c</sub></b>	Inside diameter of a permeameter sample chamber
<b>F</b>	Force
<b>g</b>	Gravitational constant
<b>h</b>	Head
<b>j</b>	An exponent
<b>K</b>	Hydraulic conductivity
<b>K<sub>h</sub></b>	Horizontal hydraulic conductivity
<b>K<sub>i</sub></b>	Intrinsic permeability
<b>K<sub>v</sub></b>	Vertical hydraulic conductivity
<b>L</b>	Length
<b>m</b>	Mass
<b>n</b>	Porosity
<b>P</b>	Pressure
<b>q</b>	Flux
<b>Q</b>	Discharge (rate)
<b>S</b>	Storativity
<b>S<sub>s</sub></b>	Specific storage
<b>S<sub>r</sub></b>	Specific retention
<b>S<sub>y</sub></b>	Specific yield
<b>T</b>	Transmissivity
<b>w</b>	Weight
<b>V</b>	Volume
<b>V<sub>v</sub></b>	Volume of voids
<b>V<sub>w</sub></b>	Volume of water
<b>W</b>	Work
<b>α</b>	Compressibility of aquifer skeleton
<b>β</b>	Compressibility of water
<b>γ</b>	Specific weight
<b>Δh</b>	Decline in head
<b>ρ</b>	Density
<b>ρ<sub>b</sub></b>	Bulk density
<b>ρ<sub>d</sub></b>	Mineral particle density
<b>ρ<sub>w</sub></b>	Density of water

Source: Handbook of Chemistry and Physics (Cleveland, Ohio: CRC Publishing Company, 1986).

/	44°		44°		44°		44°		/			
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang				
0	96569	1.03555	60	97189	1.02892	49	98327	1.01702	29	99478	1.00625	9
1	96625	1.03495	59	97246	1.02832	48	98384	1.01642	28	99535	1.00567	8
2	96681	1.03435	58	97302	1.02772	47	98441	1.01583	27	99594	1.00508	7
3	96738	1.03372	57	97359	1.02713	46	98499	1.01524	26	99652	1.00450	6
4	96794	1.03312	56	97416	1.02653	45	98556	1.01465	25	99710	1.00391	5
5	96850	1.03252	55	97472	1.02593	44	98613	1.01406	24	99768	1.00333	4
6	96907	1.03192	54	97529	1.02533	43	98671	1.01347	23	99826	1.00274	3
7	96963	1.03132	53	97586	1.02474	42	98728	1.01288	22	99884	1.00216	2
8	97020	1.03072	52	97643	1.02414	41	98786	1.01229	21	99942	1.00158	1
9	97076	1.03012	51	97700	1.02355	40	98843	1.01170	20	1.00000	1.00000	0
10	97133	1.02952	50									
11	97189	1.02892	49									
12	97246	1.02832	48									
13	97302	1.02772	47									
14	97359	1.02713	46									
15	97416	1.02653	45									
16	97472	1.02593	44									
17	97529	1.02533	43									
18	97586	1.02474	42									
19	97643	1.02414	41									
20	97700	1.02355	40									
/	44°		44°		44°		44°		/			
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang				
40	97700	1.02355	40	98327	1.01702	29	99478	1.00625	9			
41	97756	1.02295	39	98384	1.01642	28	99535	1.00567	8			
42	97813	1.02236	38	98441	1.01583	27	99594	1.00508	7			
43	97870	1.02176	37	98499	1.01524	26	99652	1.00450	6			
44	97927	1.02117	36	98556	1.01465	25	99710	1.00391	5			
45	97984	1.02057	35	98613	1.01406	24	99768	1.00333	4			
46	98041	1.01998	34	98671	1.01347	23	99826	1.00274	3			
47	98098	1.01939	33	98728	1.01288	22	99884	1.00216	2			
48	98155	1.01880	32	98786	1.01229	21	99942	1.00158	1			
49	98213	1.01820	31	98843	1.01170	20	1.00000	1.00000	0			
50	98270	1.01761	30									
51	98327	1.01702	29									
52	98384	1.01642	28									
53	98441	1.01583	27									
54	98499	1.01524	26									
55	98556	1.01465	25									
56	98613	1.01406	24									
57	98671	1.01347	23									
58	98728	1.01288	22									
59	98786	1.01229	21									
60	98843	1.01170	20									
/	44°		44°		44°		44°		/			
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang				
40	98843	1.01170	20	99478	1.00625	9	1.00000	1.00000	0			
41	98901	1.01112	19	99535	1.00567	8						
42	98958	1.01053	18	99594	1.00508	7						
43	99016	1.00994	17	99652	1.00450	6						
44	99073	1.00935	16	99710	1.00391	5						
45	99131	1.00876	15	99768	1.00333	4						
46	99189	1.00818	14	99826	1.00274	3						
47	99247	1.00759	13	99884	1.00216	2						
48	99304	1.00701	12	99942	1.00158	1						
49	99362	1.00642	11									
50	99420	1.00583	10									
51	99478	1.00525	9									
52	99536	1.00467	8									
53	99594	1.00408	7									
54	99652	1.00350	6									
55	99710	1.00291	5									
56	99768	1.00233	4									
57	99826	1.00175	3									
58	99884	1.00116	2									
59	99942	1.00058	1									
60	1.00000	1.00000	0									


APPENDIX 8. EQUIVALENCE OF SOME UNITS OF WEIGHT AND MEASURE

Underlined figures are exact; others are rounded off. Condensed from Letter Circular 1035 (Jan., 1960) of the U.S. Department of Commerce, National Bureau of Standards, Washington 25, D.C.

- 1 in. = 0.08333 ft; 0.02778 yd; 2.54 cm.
- 1 ft = 12 in.; 0.6061 rods; 0.3048 m; 0.0001894 mi
- 1 yd = 3 ft; 0.9144 m; 0.1818 rods; 0.0005682 mi
- 1 m = 1000 mm; 100 cm; 10 decimeters 0.1 dekameters; 0.01 hectometers; 0.001 km
- 1 m = 39.37 in.; 3.2808 ft; 1.0936 yd; 0.0006214 mi
- 1 fathom = 6 ft; 1.8288 m
- 1 rod = 198 in.; 16.5 ft; 5.5 yd
- 1 chain = 100 links; 66 ft; 0.0125 mi; 20.117 m;
- 1 mi = 5280 ft; 1760 yd; 320 rods; 1609.344 m;
- 1 nautical mi = 6076.1 ft; 1852 m
- 1 sq in. = 6.4516 sq cm; 0.00684 sq ft
- 1 sq ft = 144 sq in.; 0.1111 sq yd; 0.0929 sq m
- 1 sq yd = 1296 sq in.; 9 sq ft; 0.8361 sq m
- 1 sq m = 1551 sq in.; 10.76 sq ft; 1.196 sq yd
- 1 acre = 43560 sq ft; 4840 sq yd; 0.405 hectares; 0.00156 sq mi
- 1 sq mi = 640 acres; 259 hectares
- 1 cu cm = 0.0610 cu in.; 0.000001 cu m
- 1 cu in. = 0.0005787 cu ft; 16.387 cu cm
- 1 cu ft = 1728 cu in.; 0.03704 cu yd; 0.0283 cu m; 7.480 gal (U.S.)
- 1 cu yd = 46656 cu in.; 27 cu ft; 0.7645 cu m
- 1 cu m = 35.315 cu ft; 1.3079 cu yd
- 1 gal (U.S.) = 231 cu in; 128 fl oz; 0.1337 cu ft; 3.785 liters
- 1 liter = 61.025 cu in.; 0.2642 gal (U.S.); 0.0353 cu ft
- 1 acre ft = 43560 cu ft; 325851 gal (U.S.); 1233.5 cu m
- 1 oz (avoir.) = 437.5 grains; 28.350 grams; 0.0625 lbs (avoir.)
- 1 gram = 15.432 grains; 0.03527 oz (avoir.); 0.002205 lbs (avoir.)
- 1 short (net) ton = 2000 lbs; 0.9072 metric ton; 0.8929 long (gross) ton

# For all the answers . . .

## Call the National Ground Water Information Center.



The National Ground Water Information Center (NGWIC) is essential for anyone involved in the science and technology of ground water supply and protection.

NGWIC is staffed with information professionals skilled at retrieving the data its clients need . . . when they need it, cost-effectively.

The NGWIC is a comprehensive fee-based information service of the Ground Water Publishing Company. The Center has been serving ground water information needs since 1960.

### National Ground Water Information Center

6375 Riverside Dr. ■ Dublin, OH 43017  
(614) 761-3222 ■ FAX (614) 761-3446

#### Conversions of Hydraulic Conductivity, Intrinsic Permeability and Transmissivity

##### A. Hydraulic Conductivity, K [L/T], and Intrinsic Permeability, k [L<sup>2</sup>]

	K								k		
	cm/s	m/s	m/day	ft/s	ft/day	ft/yr	USgpd/ft <sup>2</sup>	UKgpd/ft <sup>2</sup>	darcy	cm <sup>2</sup>	ft <sup>2</sup>
cm/s	1	1.00E-2	8.64E2	3.28E-2	2.83E3	1.03E6	2.12E4	1.77E4	1.16E3	1.15E-5	1.24E-8
m/s	1.00E2	1	8.64E4	3.28	2.83E5	1.03E8	2.12E6	1.77E6	1.16E5	1.15E-3	1.24E-6
m/day	1.16E-3	1.16E-5	1	3.80E-5	3.28	1.20E3	2.45E1	2.04E1	1.35	1.33E-8	1.43E-11
ft/s	3.05E1	.305	2.63E4	1	8.64E4	3.15E7	6.46E5	5.38E5	3.55E4	3.50E-4	3.77E-7
ft/day	3.53E-4	3.53E-6	.305	1.16E-5	1	3.65E2	7.48	6.23	.411	4.06E-9	4.36E-12
ft/yr	9.66E-7	9.66E-9	8.35E-4	3.17E-8	2.74E-3	1	2.05E-2	1.71E-2	1.13E-3	1.11E-11	1.20E-14
USgpd/ft <sup>2</sup>	4.72E-5	4.72E-7	4.07E-2	1.55E-6	.134	4.88E1	1	.833	5.49E-2	5.42E-10	5.83E-13
UKgpd/ft <sup>2</sup>	5.66E-5	5.66E-7	4.89E-2	1.86E-6	.161	5.86E1	1.20	1	6.60E-2	6.51E-10	7.01E-13
darcy	8.58E-4	8.58E-6	7.42E-1	2.82E-5	2.43	8.88E2	1.82E1	1.52E1	1	9.87E-9	1.06E-11
cm <sup>2</sup>	8.70E4	8.70E2	7.51E7	2.85E3	2.47E8	9.00E10	1.84E9	1.54E9	1.01E8	1	1.08E-3
ft <sup>2</sup>	8.08E7	8.08E5	6.98E10	2.65E6	2.29E11	8.36E13	1.71E12	1.43E12	9.41E10	9.29E2	1

The relation between units of K and k is temperature dependent: these factors are for 60° F.

##### B. Transmissivity [L<sup>2</sup>/T]

	m <sup>2</sup> /s	m <sup>2</sup> /min	m <sup>2</sup> /day	ft <sup>2</sup> /s	ft <sup>2</sup> /day	USgpd/ft	UKgpd/ft
m <sup>2</sup> /s	1	6.00E1	8.64E4	1.08E1	9.30E5	6.96E6	5.79E6
m <sup>2</sup> /min	1.67E-2	1	1.44E3	1.79E-1	1.55E4	1.16E5	9.65E4
m <sup>2</sup> /day	1.16E-5	6.94E-4	1	1.25E-4	1.08E1	8.05E1	6.70E1
ft <sup>2</sup> /s	9.29E-2	5.57	8.03E3	1	8.64E4	6.46E5	5.38E5
ft <sup>2</sup> /day	1.08E-6	6.45E-5	9.29E-2	1.16E-5	1	7.48	6.23
USgpd/ft	1.44E-7	8.62E-6	1.24E-2	1.55E-6	1.34E-1	1	.833
UKgpd/ft	1.73E-7	1.04E-5	1.49E-2	1.86E-6	1.61E-1	1.20	1

Enter either table at the left with the given unit: move right to the column of the unit to be derived; read the conversion factor as a multiplier.  
Example: to convert 2.1 ft/day (hydraulic conductivity) to cm/s: 2.1 ft/day × 3.53E-4 = 7.4E-4 cm/s.  
Conversion factors are given in FORTRAN/BASIC notation; thus 3.53E-4 = 3.53 × 10<sup>-4</sup>.

**ENGLISH-METRIC UNIT CONVERSION TABLE**

To convert A to B, multiply A by C; To convert B to A, divide B by C


A	B	C	A	B	C
<b>Length —</b>			<b>Hydraulic conductivity —</b>		
inch	meter	2.540E-2	gal/day/ft <sup>2</sup>	cm/sec	4.716E-5
foot	meter	.3048	gal/day/ft <sup>2</sup>	ft/day	.1337
yard	meter	.9144	gal/day/ft <sup>2</sup>	meter/day	4.075E-2
mile	kilometer	1.609	gal (UK)/day/ft <sup>2</sup>	meter/day	4.893E-2
inch	centimeter	2.540	ft/yr	cm/sec	9.665E-7
			ft/yr	meter/day	8.351E-4
			darcy (atm/cm)	cm/sec	8.584E-4
			darcy	ft/day	2.433
			darcy	meter/day	.7416
<b>Area —</b>			<b>Transmissivity —</b>		
sq inch	sq centimeter	6.452	gal/day/ft	sq meter/day	1.242E-2
sq feet	sq meter	9.290E-2	gal (UK)/day/ft	sq meter/day	1.492E-2
sq yard	sq meter	.8361	sq ft/sec	sq meter/day	8.027E3
sq mile	sq kilometer	2.590	sq ft/day	sq meter/day	9.290E-2
acre	sq kilometer	4.047E-3			
acre	hectare	.4047			
<b>Volume —</b>			<b>Force and pressure —</b>		
cu feet	cu meter	2.832E-2	pound (f)	newton	4.448
cu yard	cu meter	.7646	poundal	newton	.1383
cu inch	cu centimeter	1.639E1	pounds/sq in.	pascal	6.895E3
quart	liter	.9464	lb/sq ft	pascal	4.788E1
gallon	liter	3.785	poundal/sq ft	pascal	1.488
gallon (UK)	liter	4.546	atmosphere	pascal	1.013E5
barrel (petr.)	liter	1.590E2	inches of Hg	pascal	3.386E3
acre-feet	cu meter	1.234E3	millibar	pascal	1.000E2
million gal	cu meter	3.785E3	psi	kg/cm <sup>2</sup>	7.031E-2
gallon (UK)	gallon (US)	1.200	ft of H <sub>2</sub> O (4°C)	psi	.4335
<b>Mass —</b>			<b>Work, energy and heat —</b>		
pound (lb)	kilogram	.4536	horsepower (US)	horsepower (CV)	1.014
ounce	gram	2.835E1	horsepower (US)	kW-hr	.7457
ton, short	tonne (metric)	.9072	ft-lb/sec	kW	1.356E-3
ton, long	tonne	1.016	BTU	kW-hr	2.930E-4
<b>Velocity and gradient —</b>			gpm/100' lift	kW	1.884E-2
feet/sec	meter/sec	.3048	ft-lb	joule	1.356
mile/hour	meter/sec	.4470	ft-poundal	joule	4.214E-2
feet/mile	meter/km	.1894	BTU	joule	1.055E-3
			calorie	joule	4.187
<b>Flow rate —</b>			<b>Temperature —</b>		
gal/min	liter/sec	6.309E-2	Fahrenheit	Celsius	5(F-32)/9
gal/min	cu meter/day	5.300	Celsius	Fahrenheit	1.8(C)+32
gal (UK)/min	liter/sec	7.577E-2	Kelvin	Celsius	K-273.2
10 <sup>6</sup> gal/day	liter/sec	4.381E1			
10 <sup>6</sup> gal/day	cu meter/day	3.785E-3			
cu ft/sec (cfs)	liter/sec	2.832E1			
acre-feet/day	liter/sec	1.458E-1			
gal/day	acre-feet/yr	1.120E-3			

Notes: (1) The "E" notation indicates exponentiation: 2.540E-2 = 2.540 · 10<sup>-2</sup>. (2) Unless otherwise noted, all gallons are U.S. gallons. (3) The darcy is a unit of permeability (L<sup>2</sup>), not of hydraulic conductivity (L/T). (4) A Newton (force) = kg · m/s<sup>2</sup>; A Pascal (pressure) = kg / m · s<sup>2</sup>; Joule (energy) = kg · m<sup>2</sup>/s<sup>2</sup>; each is a unit in SI. (5) Under "Temperature," entries are formulae, not multipliers.





# GEOMETRIC FORMULAS




Right Triangle

## ● Triangles

Pythagorean Theorem


$$a^2 + b^2 = c^2$$



Any Triangle

Area

$$A = \frac{1}{2}bh$$




## ● Circles

Area

$$A = \pi r^2$$

Circumference

$$C = 2\pi r$$




## ● Cylinders

Surface Area

$$S = 2\pi r^2 + 2\pi rh$$

Volume

$$V = \pi r^2 h$$




## ● Cones

Surface Area

$$S = \pi r^2 + \pi r \sqrt{r^2 + h^2}$$

Volume

$$V = \frac{1}{3}\pi r^2 h$$



## ● Spheres

Surface Area

$$S = 4\pi r^2$$

Volume

$$V = \frac{4}{3}\pi r^3$$