

Statistics, Analytical Procedures, Morphometry in Geomorphology

(Updated: Feb 26, 2006)

Abrahams, A.D., 1984, Channel networks: a geomorphological perspective: Water Resources Research, v. 20, p. 161-188.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Atterberg, F.P., 1974, Geomathematics - mathematical background and geo-science applications: Elsevier, New York, 585 p.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Band, L.E., 1986, Topographic partition of watersheds with digital elevation models: Water Resources Research, v. 22, p. 15-24.

Bannister, E., 1980, Joint and drainage orientation of southwestern Pennsylvania: Zetschrift fur Gemorphologie Supplementband, v. 24, p. 273-286.

Bell, A.M., 1986, Appendix II. Particle size analysis, in Bell, A.M., M.S. thesis, West Virginia University

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Bevenger, G.S., and King, R.M., 1995, A pebble count procedure for assessing watershed cumulative effects: Research Paper RM-RP-319, USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO, 17 p.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Bevenger, Gregory S., King, Rudy M., 1995, A pebble count procedure for assessing watershed cumulative effects: USDA Forest Service Research Paper 1-17.

ON FILE

Bevenger, Gregory S., King, Rudy M., 1997, Application of the pebble count: notes on purpose, method, and variants: Journal of the American Water Resource Association, v. 33, No. 6., p. 1393-1402.

ON FILE

Brabb, E.E., 1984, Innovative approaches to landslide hazard mapping: Proceedings of the IV International Symposium on Landslides, Toronto, v. 1, p. 307-324.

Brown, A.G., 1985, Traditional and multivariate techniques in the interpretation of floodplain sediment grain size variations: Earth Surface Processes and Landforms, v. 10, p. 281-291.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Bull, W.B., 1975, Allometric change of landforms: Geological Society of America Bulletin, v. 86, p. 1489-1498.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Carlston, C.W., and Langbein, W.B., 1960, Rapid approximation of drainage density: line

intersection method: USGS Water Resources Division Bulletin, v. 11.

Carrara, A., 1983, Multivariate models for landslide hazard evaluation: Mathematical Geology, v. 15, p. 403-426.

Carrara, A., Cardinali, M., Detti, R., Guzetti, F., Pasqui, V., and Reichenbach, P., 1991, GIS techniques and statistical models in evaluating landslide hazard: Earth Surface Processes and Landforms, v. 16, p. 427-445.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):y Applicability(0,low,m,high):h

Chorley, 1957, Climate and morphometry: Journal of Geology, v. 65, p. 628-638.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Chorley, R.J., 197?, Spatial Analysis in geomorphology: Harper and Row, New York, 210 p.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):y Applicability(0,low,m,high):h

Church, M.A., McLean, D.G., Wolcott, J.F., 1987, River bed gravels: sampling and analysis: Sediment Transport in Gravel-bed Rivers, p. 43-87.

ON FILE

Church, M.A., McLean, D.G., and Wolcott, J.F., 1987, River bed gravels-- Sampling and analysis, in Thorne, C.R., Bathurst, J.C., and Hey, R.D., eds, Sediment transport in gravel-bed rivers: John Wiley and Sons, New York, p. 43-88.

Chow, V.T., 1964, Statistical and probability analysis of hydrologic data - Part I. Frequency Analysis, in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, Inc., p. 8-1 - 8-42.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Chow, V.T., 1964, Statistical and probability analysis of hydrologic data: Part IV. Sequeential Generation of Hydrologic Information, in in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, Inc., p. 8-91 - 8-97.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Clark, 1975, Understanding canonical correlation analysis, Concepts and Techniques in Modern Geography, No. 3, Geo Abstracts Limited, Norwich, England, 36 p.

Crozier, M.J., 1973, Techniques for the morphometric analysis of landslips: Zeitschrift fur Geomorphologie Supplementband, v. 17, p. 78-101.

Crozier, M.J., 1984, field assessment of slope instability, in Brunsden, D., and Prior, W., Slope Instability: New York, John Wiley and Sons, p. 103-142.

Dackombe, R.V., and Gardiner, V., 1983, Geomorphological Field Manual: London, George Allen and Unwin.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Dalrymple, T., and Benson, M.A., 1967, measurement of peak discharges by; the slope-area method: U.S. Geological Survey Technical Water Resource Investigations B3: Chapter A2, 12.

Daros, D., and Borga, M., 1997, Use of digital elevation model data for the derivation of the geomorphological instantaneous unit-hydrograph: Hydrological Processes, v. 11, p. 13-33.

Abstract on File from Current Contents: Get this article!!!

Dawdy, D.R., and Matalas, N.C., 1964, Statistical and probability analysis of hydrologic data: Part III. Analysis of Variance, Covariance, and Time Series, in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, Inc., p. 8-68 - 8-89.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Day, M.J., and Goudie, A.S., 1977, Field assessment of rock hardness using the Schmidt test hammer: British Geomorphological Research Group, Technical Bulletin, v. 18, p. 19-29.

Deckert, C., and Bolstad, P.V., 1996, Forest canopy, terrain, and distance effects on Global Positioning System point accuracy: Photogrammetric Engineering and Remote Sensing, v. 62, p. 317-321.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Deffontaines, B., and Chorowicz, J., 1991, Principles of drainage basin analysis from multisource data: application to the structural analysis of the Zaire Basin: Tectonophysics, v. 194, p. 237-263.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Deti, R., and Pasqui, V., 1995, Vector and raster structures in generating drainage-divide networks from digital terrain models, in Carrara, A., and Guzzetti, F., eds., Geographical Information Systems in Assessing Natural Hazards: Kluwer Academic Publishers, Netherlands, p. 35-55.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Dietrich, R. V., Dutro, J. T., and Foote, R. M., 1982; AGI data sheets for geology in the field, laboratory, and office, Alexandria, Virginia, American Geological Institute, 61 sheets.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Partial Copy of Some Pages from Kite

Dietrich, W.E., Dunne, T., Humphrey, N.S., and Ried, L.M., 1982, Construction of sediment budgets for drainage basins, in Swanson, F.J., Janda, R.J., Dunne, T., and Swanson, D.N., eds., Sediment Budgets and Routing in Forested Drainage Basins, United States Department of Agriculture, Forest Service General Technical Report, PNW-141, 5-23.

Dixon, T.H., 1991, An introduction to the Global Positioning System and some geological applications: Reviews of Geophysics, v. 29, p. 249-276.

Everest, F.H., and Meehan, W.R., 1981, Forest management and anadromous fish habitat productivity, in Transactions of the 46th North American Wildlife and Natural Resources Conference, p. 521-520

(discusses the "freeze core" method of sed. sampling, used by Benda)

Ferguson, J., 1988, Mathematics in geology: Allen and Unwin, London, 356 p.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Fix, R.E., and Burt, T.P., 1995, Global Positioning System: An effective way to map a small area or catchment: Earth Surface Processes and Landforms, v. 20, p. 817-827.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Gandolfi, C., and Bischetti, G.B., 1997, Influence of the drainage network identification method on geomorphological properties and hydrological response: Hydrological Processes, v. 11, p. 353-375.

Abstract on File from Current Contents: Get this article!!!

Gardner, T.W., Sasowsky, K.C., and Day, R.L., 1990, Automated extraction of geomorphometric properties from digital elevation data: Zeitschrift fur Geomorphologie Supplement, v. 80, p. 57-68.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m

Gardiner, V., 1990, Drainage basin morphometry, in Goudie, A.S., ed., Geomorphological Techniques: Unwin Hyman, p. 71-81.

Gokceoglu, C., and Aksoy, H., 1996, Landslide susceptibility mapping of the slopes in the residual soils of the Mengen Region (Turkey) by deterministic stability analyses and image-processing techniques: Engineering Geology, v. 44, p. 147-161.

Abstract on File from Current Contents: Get this article!!!

Goudie, A.S., 1981, Geomorphological Techniques: London, George Allen and Unwin.

Graham, J., 1984, Methods of stability analysis, in Brunsden, D., and Prior, D.B., Slope Instability: New York, John Wiley, p. 171-215.

Greenbaum, D., and 10 others, 1995, Rapid methods of landslide hazard mapping: Papua New Guinea case study: British Geological Survey Technical Report WC/95/27.

Gyasiagyei, Y., Detroch, F.P., and Troch, P.A., 1996, A dynamic hillslope response model in a geomorphology based rainfall-runoff model: Journal of Hydrology, v. 178, p. 1-18.

Abstract on File from Current Contents

Haan, C.T., and Johnson, H.P., 1966, Rapid determination of hypsometric curves: Geological Society of America Bulletin, v. 77, p. 123-125.

Hack, J.T., 1957, Studies of longitudinal profiles in Virginia and Maryland: U.S. Geological

Survey Professional Paper 295-B, p. 45-97.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
also x-refed in app. geomorph. ref. list

Hack, J.T., 1973, Stream-profile analysis and stream-gradient index: U.S. Geological Survey Journal of Research, v. 1, p. 421-429.

Hansen, A., 1984, Landslide hazard analysis, in Brunsden, D., and Prior, D.B., Slope Instability: New York, John Wiley, p. 523-602.

Harris, R., 1996, Global Positioning System: Unpublished Class Notes, West Virginia University, Morgantown, WV.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

HEC 2, Paleohydraulic flow modeling, Intro / abstract

Heron, D., ed., 1986, Figuratively speaking - Techniques for preparing and presenting a slide talk: American Association of Petroleum Geologists, Tulsa, OK, 110 pp.

Hewlett, J.D., Cunningham, G.B., and Troendle, C.A., 1977, predicting stormflow and peakflow from small basins in humid areas by the R-Index method: Water Resources Bulletin of the American Water Resources Association, v. 13, no. 2, p. 231-252.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):y Applicability(0,low,m,high):m

Horton, R.E., 1932, Drainage basin characteristics: Transactions American Geophysics Union, v. 13, p. 350-361.

Horton, R.E., 1945, Erosional development of streams and their drainage basins: hydrophysical approach to quantitative morphology: Geological Society of America Bulletin, v. 56, p. 275-370.

Huang, J., and Turcotte, D.L., 1990, Fractal image analysis: application to the topography of Oregon and synthetic images: Journal of the Optical Society of America, v. 7, no. 6, p. 1124-1130.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Hydrologic Engineering Center, 1985, HEC-2 water surface profiles users manual: Davis California, The Hydrologic Engineering Center (U.S. Army Corps of Engineers), 37 p.

Hubbell, D.W., 1987, Bed load sampling and analysis: Sediment Transport in Gravel-bed Rivers, p. 89-118.

ON FILE

Kellerhals, R., 1971, Comments on an improved method for size distribution of stream bed gravel by Luna B. Leopold: Water Resources Research, v. 7, p. 1045-1047.

Kellerhals, R., and Bray, D.I., 1971, Sampling porcedures for coarse fluvial sediments: Proceedings. American Society of Civil Engineers, Journal of the Hydraulics Division, v. 97, p. 1165-1179.

Kite, J.S., unpub. document - 1996, Draft of discussion document on the term "diamicton" and its proper usage: Dept. of Geology and Geography, West Virginia University, Morgantown, WV.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Kite, J.S., upub. document - 1996, lecture 18: Paleohydraulic methods (summary of paleohydraulic equations

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Kockelman, W.J., 1986, Some techniques for reducing landslide hazards: Bulletin of the Association of Engineering Geologists, v. 23, no. 1, p. 29-52.

Kondolf, G.M., 1997, Application of the pebble count: notes on purpose, method, and variants: Journal of the American Water Resources Association, v. 33, p. 79-87.

Abstract on File from Current Contents: Get this article!!!

Krumbein, W.C., W.C., 1941, Measurement and geological significance of shape and roundness of sedimentary particles: Journal of Sedimentary Petrology, v. 11, p. 64-72.

(xref from Boggs, reference on sphericity and roundness, intercept sphericity)

Leopold, L.B., 1970, An improved method for size distribution of stream bed gravel: Water Resources Research, v. 6, p. 1357-1366.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):m-h

Maine Geological Survey, 1986, Guidelines for compilation of surficial geologic quadrangle maps for the Maine Geological Survey: Maine Geological Survey Bedrock and Surficial Geology Division, 11 p.

Mark, D.M., 1983, Relations between field-surveyed channel networks and map-based geomorphometric measures, Inez, Kentucky: Annals of Association of American Geographers, v. 73, p. 358-372.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Mark, D.M., and Aronson, P.B., 1984, Scale-dependent fractal dimensions of topographic surfaces: An empirical investigation, with applications in geomorphology and computer mapping: Mathematical Geology, v. 16, p. 671-683

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Mayer, L., 1990, Introduction to Quantitative Geomorphology: Prentice-Hall, Englewood Cliffs, NJ.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

McComas, M., Hinkley, K., and Kempton, J., 1969, Coordinated mapping of geology and soils for land-use planning: Illinois Geological survey Environmental Geology Note 29.

McCoy, M.M., 1971, Rapid measurement of drainage density: Geological Society of America Bulletin, v. 82, p. 757-762.

Miller, J.R., Ritter, D.F., and Kochel, R.C., 1990, Morphometric assessment of lithologic controls on drainage basin evolution in the Crawford Uplands, south-central Indiana: American Journal of Science, v. 290, p. 569-599.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Morisawa, M., 1957, Accuracy of determination of stream length from topographic maps: Transactions American Geophysical Union, v. 38, p. 86-88.

Mosley, M.P., and Tindale, D.S., 1985, Sediment variability and bed material sampling in gravel-bed rivers: Earth Surface Processes and Landforms: v. 10, p. 465-482.

Ohmori, H., and Shimazu, H., 1994, Distribution of hazard types in a drainage basin and its relation to geomorphological setting: Geomorphology, v. 10, p. 95-106.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Oreskes, N., Shrader-Frechette, K., and Belitz, K., 1994, Verification, validation, and confirmation of numerical models in the earth sciences: Science, v. 263, p. 641-646.

Orwin, John F., Smart, C. Chris, 2005, An inexpensive turbidimeter for monitoring suspended sediment: Geomorphology, v. 68, p. 3-15.

ON FILE

Patton, P.C., and Baker, V.R., 1976, Morphometry and floods in small drainage basins subject to diverse hydrogeomorphic controls: Water Resources Research, v. 12, p. 941-952.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):m-h

PennDOT, 1995, Soil, Rock and Aggregate test: examples of soils testing services, (from S. Bushmire / Penn DOT)

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Pike, R.J., and Wilson, S.E., 1971, Elevation-relief ratio, hypsometric integral, and geomorphic area-altitude analysis: Geological Society of America Bulletin, v. 82, p. 1079-1084.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Pike, R.J., 1988, The geometric signature: quantifying landslide-terrain types from digital elevation models: Mathematical Geology, v. 20, no. 5, p. 491-511.

Pilotti, M., Gandolfi, C., and Bischetti, G.B., 1996, Identification and analysis of natural channel networks from digital elevation models: Earth Surface Processes and Landforms, v. 21, p. 1007-1020.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Powers, M.C., 1953, A new roundness scale for sedimentary particles: Journal of Sedimentary Petrology, v. 23, p. ??

Purdue University, 1985, PCSTABLE4, Computer Modeling of Slope Stability, prepared for Federal Highway Administration: School of Civil Engineering, West Lafayette, Indiana.

Reneau, S.L., Dietrich, W.E., Rubin, M., Donahue, D.J., and Jull, A.J.T., 1989, Analysis of hillslope erosion rates using colluvial deposits: Journal of Geology, v. 97, p. 45-63.

Ritchie, Jerry C., McHenry, J. Roger, 1989, Application of radioactive fallout cesium-137 for measuring soil erosion and sediment accumulation rates and patterns: a review: Journal of Environmental Quality, v. 19, p. 215-233.

ON FILE

Ritter, D., 1988, Landscape analysis and the search for geomorphic unity: Geological Society of America Bulletin, v. 100, p. 160-171.

**On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
also x-refed in Landanal - reference list**

Sahu, B.K., 1964, Transformation of weight frequency and number frequency data in size distribution studies of elastic sediments: Journal of Sedimentary Petrology, v. 34, no. 4, p. 768-773.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m

Sherlock, S., 1995, Surveying seminar notes: Unpublished notes, West Virginia University, Morgantown, WV.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Shreve, R.L., 1966, Statistical law of stream numbers: Journal of Geology, v. 74, p. 17-37.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Sneed, E.D., and Folk, R.L., 1958, Pebbles in the lower Colorado River, Texas, a study in particle morphogenesis: Journal of Geology, v. 66, p. 114-150.

(x-ref from Boggs, formula for projection sphericity)

Strahler, A.N., 1952, Hypsometric (area-altitude) analysis of erosional topography: Geological Society of America Bulletin, v. 63, p. 1117-1142.

**On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
(the reference for stream order)**

Strahler, A.N., 1953, Statistical analysis in geomorphic research: Journal of Geology, v. 62, p. 1-25.

Strahler, A.N., 1954, Quantitative geomorphology of erosional landscapes: 19th Int. Geologic Congress, v. 13(15), p. 341-354.

Strahler, A.N., 1956, Quantitative slope analysis: Geological Society of America Bulletin, v. 67,

p. 571-596.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Strahler, A.N., 1957, Quantitative analysis of watershed geomorphology: American Geophysical Union Transactions, v. 38, p. 913-920.

Strahler, A.N., 1964, Quantitative Geomorphology, in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, Inc., p. 4-39 - 4-75.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Steel, R.G.D., and Torrie, J.H., 1960, Principles and procedures of statistics with special reference to the biological sciences: McGraw-Hill, New York, 481p.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Sutherland, Ross A., 1991, Caesium-137 and sediment budgeting within a partially closed drainage basin: Z. Geomorphology N.F., p. 48-63.
 ON FILE

Wentworth, C.K., 1922, A scale of grade and class terms for clastic sediments: Journal of Geology, v. 30, p. 377-392.

Williams, G.P., 1983, Improper use of regression equations in earth sciences: Geology, v. 11, p. 195-197.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Wolman, M.G., 1954, A method for sampling coarse river bed material: Transactions of the American Geophysical Union, v. 35, p. 951-956.
interlibrary loan request in Jan, 1998

Yevdjovich, V.M., 1964, Statistical and probability analysis of hydrologic data - Part II. Regression and Correlation Analysis, in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, Inc., p. 8-44 - 8-67.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Zienkeiwicz, O.C., 1971, The Finite Element Method in Engineering Science: New York, McGraw-Hill.

Zienkiewicz, O.C., and Taylor, R.L., 1991, The finite element method. Volume 2: Solid and Fluid Mechanics, Dynamics and Non-linearity: New York, McGraw-Hill, 807 p.

Zingg, Th., 1935, Beitrage zur Schotteranalyse: Schweiz. Mineralog. Petrog. Mitt., v. 15, p. 39-140.
(Clast shape reference)