

General Fluvial Geomorphology References
(includes general) hydrology, fluvial systems, alluvial fans
Updated March 3, 2006

Allen, J.R.L., 19??, Changeable rivers: Some aspects of their mechanics and sedimentation: ???
drawn from a text or volume??

Albertson, M.L., and Simons, D.B., 1964, Section 7 - Fluid mechanics, , in Chow, V.T.,
Handbook of applied hydrology: McGraw-Hill, New York, p. 7-2 - 7-48.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Abrahams, A., 1984, Channel networks, a geomorphological perspective: Water Resources
Research, v. 20, p. 161-188.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
overview of hortons morphometry work

Albertson, M.L., and Simons, D.B., 1964, Fluid mechanics, in Chow, V.T., Handbook of applied
hydrology: McGraw-Hill, Inc., p. 7-1 - 7-49.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Arbogast, A.F., and Johnson, W.C., 1994, Climatic implications of the Late Quaternary alluvial
record of a small drainage basin in the central Great Plains: Quaternary Research, v. 41,
p. 298-305.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Armanini, A., 1992, Variation of bed and sediment load mean diameters due to erosion and
deposition processes, in Dynamic of Gravel-bed Rivers, editors P. Billi, et al. Publisher
John Wiley and Sons., p. 351-359.

On File

Bagnold, R.A., 1960, Sediment discharge and stream power: a preliminary announcement: U.S.
Geological Survey Bulletin, v. 421, no. 23,

Bagnold, R.A., 1966, An approach to the sediment discharge problem from general physics: U.S.
Geological Survey Professional Paper 422 I.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Baker, V.R., 1988, Geological fluvial geomorphology: Geological Society of America Bulletin,
v. 100, p. 1157-1167.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Baker, V.R., 1988, Overview, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood
Geomorphology, Wiley, New York, p. 1-8.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Baker, V.R., 1994, Geomorphological Understanding of floods: Geomorphology, v. 10, p. 139-
156.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Baker, V.R., Benito, G., and Rudoy, A.N., 1993, Paleohydrology of Late Pleistocene Superflooding, Altay Mountains, Siberia: Science, Vol. 259, p. 348-350.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Baker, V.R., and Bunker, R.C., 1985, Cataclysmic late Pleistocene flooding from glacial Lake Missoula: A review: Quaternary Science Reviews, v. 4, p. 1-41.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Baker V.R., and Costa, J.E., 1987, Flood power, in Mayer, Larry, and Nash, David, eds., Catastrophic Flooding: London, Allen and Unwin, p. 1-21.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Baker, V.R., and Kale, V.S., 1998, The role of extreme floods in shaping bedrock channels, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 153-165.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Baker, Victor R., and Kochel, R. Craig, 1988, Flood sedimentation in bedrock fluvial systems, in Baker, Victor R., Kochel, R. Craig, and Patton, Peter C., editors, Flood Geomorphology: New York, John Wiley and Sons, p. 123-137.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Baker, V.R., and Nummedal, D., eds., The channeled scabland: Washington, D.C., NASA Report.

Baker, V.R., Kochel, R.C., Patton, P.C., and Pickup, G., 1983, Paleohydrologic analysis of Holocene flood slack-water sediments: International Association of Sedimentologists, Special Publication 6, p. 229-239.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Baker, V.R., and Ritter, D.F., 1975, Competence of rivers to transport coarse bedload material: Geological Society of America Bulletin, v. 86, p. 975-978.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Bakke, Paul D., et al. 1999, Parker-klingeman (pk) model for transport in river channels, in Journal of Hydraulic Engineering, p. 657-660.

On File

Barnes, H.H., 1967, Roughness Characteristics of Natural Channels, U.S. Geological Survey Water-Supply Paper 1849: U.S. Geological Survey, Reston, VA, 213 p.

Bbowmik, N.G., 1985, Hydraulic geomoeetry of floodplains, J. of Hydrol., v. 63, p. 369-401.

Benson, M.A. and Dalrymple, Tate, 1967, General field and office procedures for indirect

discharge measurements, U.S. Geological Survey Techniques of Water Resource Investigations, book 3, chapter A-1, 30 p.

Beschta, R.L., 1987, Conceptual models of sediment transport in streams: Sediment Transport in Gravel-bed Rivers, p. 387-419.

ON FILE

Benda, L., et al. 2003, Effects of post-wildfire erosion on channel environments, Boise River, Idaho, in Forest Ecology and Management, p. 105-119.

Benson, M.A., 1962, Factors influencing the occurrence of floods in a humid region of diverse terrain: U.S. Geological Survey Water Supply Paper 1580-B, p. 1-64.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Benson, M.A., and Dalrymple, T., 1967, General field and office procedures for indirect discharge measurements: U.S. Geological Survey Techniques of Water-Resources Investigations: Book 3, Chapter A-1, p. 1-30.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Beschta, Robert L., et. al., 1981, Sediment and organic matter transport in Oregon coast range streams, published by Water Resources Institute, Corvallis Oregon.

On File

Bierman, P.R., and Mehrrens, C., 1994, New England debris and alluvial fans: Records of Holocene hillslope activity: Unpublished NSF proposal.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):y Applicability(0,low,m,high):l

Bilby, R.E., and Ward, J.W., 1989, Changes in characteristics and function of woody debris with increasing size of streams in Western Washington: Transactions of the American Fisheries Society, v. 118, p. 368-378.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Birkland, 1968, Mean velocities and boulder transport during Tahoe-age floods of the Truckee River, California-Nevada: GSA Bulletin, 79, 137-142.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Blair, T.C., and Bilodeau, W.L., 1988, Development of tectonic cyclothems in rift, pull-apart, and foreland basins: Sedimentary response to episodic tectonism: Geology, v. 16, p. 517-520.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Blair, T.C., and McPherson, J.G., 1994, Alluvial fans and their natural distinction from rivers based on morphology, hydraulic processes, sedimentary processes, and facies assemblages: Journal of Sedimentary Research, v. A64, no. 3, p. 450-489.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):y Applicability(0,low,m,high):l-m

Blair, T.C., and McPherson, J.G., 1994, Alluvial fan processes and forms, in Abrahams, A.D., and Parsons, A.J., eds. Geomorphology of Desert Environments: London, Chapman and

Hall, p. 354-402.

Blackwelder, E., 1928, Mudflow as a geologic agent in semiarid mountains: Geological Society of America Bulletin, v. 39, p. 465-484.

Blissenbach, E., 1954, Geology of alluvial fans in semiarid regions: Geological Society of America Bulletin, v. 65, p. 175-190.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m

Boothroyd, J.C., and Nummendal, D., 1978, Proglacial braided outwash - a model for humid alluvial-fan deposits in A.D. Miall (ed.) Fluvial Sedimentology, Canadian Society of Petroleum Geologist Memoir 5, pp. 641-668.

Boyer, M.C., 1954, Estimating the Manning roughness coefficient from an average bed roughness in open channels: American Geophysical Union Transactions, v. 35, p. 957-961.

Bray, D.I., 1979, Estimating average velocity in gravel-bed rivers: Journal of the Hydraulics Division, American Society of Civil Engineers, No. HY9, p. 1103-1122.

Brown, Sarah L., et. al., 2000, 10,000yr record of extreme hydrologic events, in Geology April 2000, v. 28; no. 4; p. 335-338.

On File

Brummer, C., and Montgomery, D.R., 2002, Downstream coarsening in headwater channels (abs.): Transactions of the American Geophysical Union, Fall Meeting, San Francisco.

On File

Buchanan, T.J., and Somers, W.P., 1969, Discharge measurements at gaging stations: U.S. Geological Survey Techniques of Water-Resources Investigations, Book, Chapter A-8.

Buffington, J.M., and Montgomery, D.R., 1999, Effects of sediment supply on surface textures of gravel-bed rivers: Water Resources Research, v. 35, no. 11, p. 3523-3530.

On File

Bull, W.B., 1962, Relation of textural (CM) patterns to depositional environment of alluvial-fan deposits: Journal of Sedimentary Petrology, v. 32, p. 211-216.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Bull, W.B., 1964, Relation of alluvial fan size and slope to drainage basin size and lithology in western Fresno County, California: U.S. Geological Survey Professional Paper 450-B, p. 51-53.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Bull, W.B., 1964, Geomorphology of segmented alluvial fans in western Fresno County, California: U.S. Geological Survey Professional Paper 552-F. (342-E??), p. 89-129??

- Bull, W.B., 1964, alluvial fans and near-surface subsidence in western Fresno County, California: U.S. Geological Survey Professional Paper 437-A, 70 p.
- Bull, W.B., 1968, Alluvial fans: *Journal of Geological Education*, v. 16, p. 101-106
- Bull, W.B., 1977, The alluvial fan environment: *Progress in Physical Geography*, v. 1, p. 222-270.
- Bull, W.B., 1979, Threshold of critical power in streams: *Geological Society of America Bulletin*, v. 90, p. 453-464.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h
- Bull, W.B., 1988, Floods; Degradation and Aggradation, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., *Flood Geomorphology*, Wiley, New York, p. 157-165.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h
- Bull, W.B., 1991, *Geomorphic responses to climate change*: Oxford University Press, New York, 326 p.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h
- Butler, D.R., and Malanson, G.P., 1996, A major sediment pulse in a sub-alpine river caused by debris flows in Montana, USA: *Zeitschrift Fur Geomorphologie*, v. 40, p. 525-535.
Abstract on File from Current Contents
- Butzer, K.W., 1980, Holocene alluvial sequences: Problems of dating and correlation, in Cullingford, R.A., Davidson, D.A., and Lewin, J., eds., *Timescales in Geomorphology*, p. 131-142.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
- Cant, D.J., 1978, Development of a facies model for sandy braided river sedimentation: comparison of the South Saskatchewan River and the Battery Point Formation, in Miall, A.J., ??? *Fluvial Sed.* volume, p. 627-639.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m
- Carling, P.A., 1989, Hydrodynamic models of boulder berm deposition, *Geomorphology*, v. 2, p. 319-340.
- Carling, P., and Tinkler, K., 1998, Conditions for the entrainment of cuboid boulders in bedrock streams: An historical review of literature with respect to recent investigations, in Tinkler, K., and Wohl, E., eds., *Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series*, v. 107, American Geophysical Union, Washington, D.C., p. 19-34.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
- Carlston, C.W., 1963, Drainage density and streamflow, U.S. Geological Survey Professional Paper 422-C, 8 p.

Cenderelli, D.A., and Cluer, B.L., 1998, Depositional processes and sediment supply in resistant-boundary channels: Examples from two case studies, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 105-131.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Chin, Anne, 2001, The geomorphic significance of step-pools in mountain streams, Abstracts with

Program, Binghamton Symposium, Mountain Geomorphology: Integrating Earth Systems, University of North Carolina, Chapel Hill, North Carolina, p. 16.

On File

Chow, V.T., 1959, Open-channel hydraulics: McGraw Hill, New York, 680 p.

Church, Michael, and Ryder, June M., 1972, Paraglacial sedimentation:a consideration of fluvial processes conditioned by glaciation: Geological Society of America Bulletin, v. 83, p. 3059-3072.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Costa, J.E., 1978, Colorado Big Thompson flood: geologic evidence of a rare hydrologic event: Geology, v. 6, p. 617-620.

Costa, John E., 1983, Paleohydraulic reconstruction of flash-flood peaks from boulder deposits in the Colorado Front Range: Geological Society of America Bulletin, v. 94, 986-1004.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Costa, John E., 1986, Morphology, sedimentology, and genesis of boulder berms: Geological Society of America Abstracts with Programs (National Meeting), v. 18, p. 572.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Costa, J.E., 1986, A history of paleoflood hydrology in the United States, 1800-1970, EOS, v. 67, p. 425, p. 428-430.

Costa, J.E., 1987, A comparison of the largest rainfall-runoff floods in the United States with those of the People's Republic of China and the world: Journal of Hydrology, v. 96, p. 101-115.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Costa, J.E., 1988, Rheologic, geomorphic and sedimentologic differentiation of water floods, hyperconcentrated flows, and debris flows, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 113-122.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Costa, J.E. and O'Connor, E., 1995, Geomorphically effective floods, Natural and Anthropogenic Influences in Fluvial Geomorphology Geophysical Monograph 89,

pp. 45-56.

On File No PDF

Costa, J.E. and Schuster, R.L., 1988, The formation and failure of natural dams, Geol. Soc. Am. Bull., v. 100, p. 1054-1068.

Dalrymple, T., 1964, Hydrology and Flow Control: Part I. Flood Characteristics and Flow Determination, in in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, Inc., p. 25-1 - 25-33.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Dalrymple, T., and Benson, M.A., 1967, Measurement of peak discharge by the slope-area method: U.S. Geological Survey Techniques of Water -Resources Investigations: Book 3, Chapter A-2.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Davis, W.M., 1889, The rivers and valleys of Pennsylvania: National Geographic Magazine, v. 1, p. 183-253.

Davis, W.M., 1899, the geographical cycle, The Geographical Journal, v. 14, p. 481-504.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Denny, C.S., 1965, Alluvial fans in the Death Valley region, California and Nevada: U.S. Geological Survey Prof. Paper 466, 62 p.

Denny, C.S., 1967, Fans and pediments: American Journal of Science, v. 265, p. 81-105.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):h

Dunne, T., and Leopold, L. B., 1978, Water in environmental planning: San Francisco, W. H. Freeman and Company, 818 p.

Chapter 2 Precipitation

Chapter 10 Calculation of Flood Hazard

Chapter 11 Human Occupance of Flood-Prone Lands

Dunne, T., Mertes, L.A.K., Meade, R.H., Richey, J.E., Forsberg, B.R., 1998, Exchanges of sediment between the flood plain and channel of the Amazon River in Brazil, GSA Bulletin, v. 110, no. 4, pp. 450-467.

On File No PDF

Ehlen, J., and Wohl, E., 2002, Joints and landform evolution in bedrock canyons, *in* Japanese Geomorphological Union (23-2), p. 237-255.

Einstein, H.A., 1964, Sedimentation - part II river sedimentation, in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, New York, p. 17-36 - 17-67.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Etheridge, F.G., and Schumm, S.A., 19??, Reconstructing paleochannel morphologic and flow characteristics: methodology, limitations and assessment: ???, p. 703-721.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Elfstrom, A., 1987, Large boulder deposits and catastrophic floods: Geografiska Annaler, v. 69A, p. 101-121.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m

Easterbrook, D.J., 1982, Characteristic features of glacial sediments, American Association of Petroleum Geologists Memoir, v. 31, p. 1-10.

Fasken, G.B., 1963, Guide for selecting roughness coefficient "n" values for channels: Soil Conservation Service, U.S. Dept. of Agriculture.

Ferguson, R.I., 1986, Hydraulics and hydraulic geometry: Progress in Physical Geography, v. 10, p. 1-31.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Ferguson, R.I., 2005, Estimating critical stream power for bedload transport calculations in gravel-bed rivers: Geomorphology, v. 70, p. 33-41.

ON FILE

Finlayson, D.P., and Montgomery, D.R., 2002, Modeling large-scale fluvial erosion in geographic information systems, *in* Geomorphology, v. 53, p. 147-164.

Florsheim, J.L., Keller, E.A., and Best, D.W., 1991, Fluvial sediment transport following chaparral wildfire, Ventura County, southern California: Geological Society of America Bulletin, v. 103, p. 504-511.

Folk, R.L., 1965, Petrology of sedimentary rocks: Hemphill's Publishing, Austin, TX, xx p.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Fonstad, Mark, 2001, Spatial Variation in the Power of mountain streams, Abstracts with Program, Binghamton Symposium, Mountain Geomorphology: Integrating Earth Systems, University of North Carolina, Chapel Hill, North Carolina, p.22.

On File

Fread, D.M., 1988, The National Weather Service DAMBRK model: teoretical background/user documentation: Hydrologic Research Laboratory, National Weather Service, Silver Spring, MD, 320 p.

Frye, J.C., and Leonard, A.R., 1954, Some problems of alluvial terrace mapping: American Journal of Science, v. 252, p. 242-251.

Gage, M., 1953, Transport and rounding of large boulders in mountain streams: Journal of Sedimentary Petrology, v. 23, p. 60-61.

Galloway, W.E., and Hobday, D.K., Terrigenous clastic depositional systems: Springer-Verlag, New York, ?? p. (I have chapter 3, fans)

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Gardiner, V. and Dackombe, R., 1983, Geomorphological Field Manual: George Allen and Unwin, London, 254 pp.

Gilvear, D.J., Fluvial geomorphology and river engineering: future roles utilizing a fluvial hydrosystems framework, *in* Geomorphology, v. 31, p. 229-245.

Graf, W.L., 1979. The development of montane arroyos and gullies, Earth Surf. Proc., v. 4, p. 14. Iverson, R.M., 1997, Debris-Flow flume at H.J. Andrews experimental forest, Oregon, U.S Geological Survey Open-file Report 92-482: U.S. Geological Survey, Vancouver, WA.

Grant, G.E., et al. 2003, A geological framework for interpreting downstream effects of dams on rivers, American Geophysical Union, p. 203-219.

Gottschalk, L.C., 1964, Sedimentation - part I reservoir sedimentation, , in Chow, V.T., Handbook of applied hydrology: McGraw-Hill, New York, p. 17-2 - 17-33.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Hancock, G.S., Anderson, R.S., and Whipple, K.X., 1998, Beyond power: Bedrock river incision process and form, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 35-60.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Harrelson, C.C., Rawlins, C.L., and Potyondy, J.P., 1994, Stream channel reference sites: An illustrated guide to field technique: U.S. Dept. of Agriculture, Forest Service General Technical Report RM-245, 59 pp.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Harrison, S.S., and Reid, J.R., 1967, A flood frequency curve based on tree-scar data: Proceedings of the North Dakota(?) Academy of Science, v. 21, p. 23-33.

Harvey, A.M., 1984, Geomorphological response to an extreme flood: a case from southeast Spain: Earth Surface Processes and Landforms, v. 9, p. 267-279.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Harvey, A.M., 1986, Geomorphic effects of a 100 year storm in the Howgill Fells, Northwest England: Zeitschrift fur Gemorphologie, v. 30, p. 71-91.

**On file(Y/N):y Read?(Y/N):y X-ref(Y/N):y Applicability(0,low,m,high):m-H
xrefed in hillslopes, located in fluvial file**

Harvey, A.M., 1987, Sediment supply to upland streams: Influence on channel adjustment:

Sediment Transport in Gravel-bed Rivers, p. 121-150.

On File

Harvey, A.M., 1990, Factors influencing Quaternary alluvial fan development in southeast Spain, in Rachocki, A.H., and Church, M., eds., Alluvial Fans: A Field Approach: Wiley, New York, p. 247-269.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Harvey, A.M., 1996, The role of alluvial fans in the mountain fluvial systems of southeast Spain: implications of climatic change: Earth Surface Processes and Landforms, v. 21, p. 543-553.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Harvey, A.M., and Wells, S.G., 1987, Response of Quaternary fluvial systems to differential epeirogenic uplift: Aguas and Feos river systems, southeast Spain: Geology, v. 15, p. 689-693.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Hayden, B.P., Flood climates, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 27-49.

**On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h
x-refed in "climate" database as well**

Helly, E.J., 1969, Field measurement of the initiation of large bed particle motion in Blue Creek near Klamath, California: U.S. Geological Survey Professional Paper 562-G, p. G1-G19.

**On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n/a
Applicability(0,low,m,high):l-m**

Hirschboeck, K.K., 1987, Catastrophic flooding and atmospheric circulation anomalies, in Mayer, L., and Nash, D., eds., Catastrophic flooding: Boston, MA, Allen and Unwin, p. 23-56.

Hirschboeck, K.K., 1988, Flood hydroclimatology, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 27-49.

**On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h
x-refed in "climate" database as well**

Hirschboeck, Katherine K., 1991, Hydrology of floods and droughts, climate and floods: U.S. Geological Survey Water Supply Paper 2375, p. 67-88.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Hogg, S.E., 1982, Sheetfloods, sheetwash, sheetflow or ?: Earth Science Reviews, v. 18, p. 59-76.

Hooke, R.B., 1967, Processes on arid-region alluvial fans: Journal of Geology, v. 75, p. 438-460.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m

Hooke, R.B., 1968, Steady-state relationships on arid-region alluvial fans in closed basins:

American Journal of Science: v. 266, p. 609-629.

Hooke, Roger, LeB., 2000., Toward a uniform theory of clastic sediment yield in fluvial systems, in Geological Society of America Bulletin, v. 112; no 12, p. 1778-1786.

On File

Hooke, R.B., and Rohrer, W.L., 1979, Geometry of alluvial fans: effect of discharge and sediment size: Earth Surface Processes, v. 4, p. 147-166.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m

Howard, A.D., and Kerby, G., 1983, Channel changes in badlands: Geological Society of America Bulletin, v. 94, p. 739-752.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Hudson, Paul F., and Kesel, Richard H., 2000, Channel migration and meander-bend curvature in

the lower mississippi river prior to major human modification..., in Geology, p. 531-534.

On File

Hupp, C. R., 1988, Plant ecological aspects of flood geomorphology and paleoflood history, in Baker, Victor R., Kochel, R. Craig, and Patton, Peter C., editors, Flood Geomorphology: New York, John Wileyand Sons, p. 335-356.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h
Cross-Reference to Biogeomorphology Subheading

Hupp, D.R., and Simon, A., 1991, Bank accretion and the developement of vegetated depositional surfaces along modified alluvial channels: Geomorphology, v. 4, p. 111-124.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Interagency Advisory Committee on Water Data 1982, Guidelines for determining flood flow frequency: Hydrology Subcommittee, Bulletin 17B, U.S. Geological Survey Office of Water Data Coordination, Reston Virginia.

Jarrett, R.D., 1984, Hydraulics of high-gradient streams: Journal of Hydraulic Engineering, v. 110, p. 1519-1539.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Johnson, E., and Richards, F., 1997, 1997: major floods cause unusually large losses: EOS Transactions of the American Geophysical Union, v. 78, no. 46, Fall Meeting Supplement, p. F 218.

Abstract on File

Jopling, A.V., 1966, Some principles and techniques used in reconstructing the hydraulic parameters of a paleo-flow regime: Journal of Sedimentary Petrology, v. 36, p. 5-49.

Keller, E.A., 1971, Areal sorting of bed load material: the hypothesis of velocity reversal, Geological Society of America Bulletin, v. 2, p. 753-756.

Keller, E.A. and Melhorn, W.N., 1978, Rhythmic spacing and origin of pools and riffles, Geol. Soc. Of Am. Bull., v. 89, p. 723-730.

Keller, E.A., Valentine, D.W., and Gibbs, D.R., 1997, Hydrological response of small watersheds following the southern California Painted Cave fire of June 1990: Hydrological Processes, v. 11, p. 401-414.

Abstract on File from Current Contents

Keller, E.A., and Swanson, F.J., 1979, Effects of large organic material on channel form and fluvial processes: Earth Surface Processes, vol. 4, 361-380.

Kellerhals, R., and Church, M., 1990, Hazard management on fans, with examples from British Columbia, in Rachocki, A.H., and Church, M., eds., Alluvial Fans: A Field Approach: Wiley, New York, p. 335-354.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Kelson, K., and Wells, S.G., 1989, Geologic influences on fluvial hydrology and bedload transport in small mountainous watersheds, northern New Mexico, U.S.A.: Earth Surface Processes and Landforms, v. 14, p. 671-690.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):m-h

Kite, J. S., and Stuckenrath, R., 1987, Postglacial evolution of drainage in the middle and upper St. John River basin, New Brunswick and Maine, in Church, M., ed., Palaeohydrological changes in the Temperate Zone in the Last 15,000 years: International Geological Correlation Program Project 158, p. 15-24.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Knighton, A. David, 1999, Downstream variation in stream power: Geomorphology, v. 29, p.239-306.
ON FILE

Knuepfer, Peter, L.K., 2001, Tectonic and climatic controls on river long profiles in the mountains of active orogens, Abstracts with Program, Binghamton Symposium, Mountain Geomorphology: Integrating Earth Systems, University of North Carolina, Chapel Hill, North Carolina, p.45

On File

Knox, J.C., 1976, Concept of the graded stream in Melhorn, W., and Flemal, R., eds., Theories of Landform Development: Publications in Geomorphology, SUNY Binghamton, p. 168-198.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Knox, James C., 1983, Responses of River systems to Holocene climates, in Wright, H. E., Jr., ed., Late-Quaternary Environments of the United States, vol. 2: The Holocene, Minneapolis, University of Minnesota Press, p. 26-41.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Knox, J.C., 1987, Stratigraphic evidence of large floods in the upper Mississippi Valley, in Mayer, L., and Nash, Catastrophic flooding: Proceedings of the Binghamton Symposium, v. 18, Allen and Unwin, p. 156-179.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Knox, J.C., 1993, Large increases in flood magnitude in response to modest changes in climate: Nature, V. 361, p. 430-432.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Kochel, R.C., 1988, Geomorphic impact of large floods: Review and new perspectives on magnitude and frequency in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 169-187.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Kochel, R. Craig, and Baker, Victor R., 1988, Paleoflood analysis using slackwater deposits, in Baker, Victor R., Kochel, R. Craig, and Patton, Peter C., eds., Flood Geomorphology: New York, John Wiley and Sons, p. 357-376.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Kochel, R. Craig, and Ritter, Dale F., 1987, Implications of flume experiments for the interpretations of slackwater flood deposits, in Singh, V. P., ed., Regional Flood Frequency Analysis, , D. Reidel Publishing Company, p. 371-390.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Komar, P.D. et al. 1992, Equal Mobility versus changing bedload grain sizes in gravel-bed streams, in Dynamic of Gravel-bed Rivers, editors P. Billi, et al. Publisher John Wiley and Sons., p. 73-106..

On File

Komar, Paul. D., 1991, Grain sorting in gravel bed streams and the choice of particle sizes for flow competence evaluations, in Sedimentology, p. 489-502.

On File

Komar, Paul, D., 1989., Flow-competence evaluations and the non-equal mobility of gravels in oak creek, oregon., in Eos Vol. 70, No. 15.

On File

Komar, P.D., 1987, Selective gravel entrainment and the emperical evaluation of flow competence: Sedimentology, 34, 1165-1176.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Komar, P.D., 1988, Sediment transport by floods, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 97-112.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Kondolf, G.M., 1995a, Evaluating stream restoration projects, *Environmental Management*, v. 19, p. 1-15.

Kondolf, G.M., and Adhikari, A., 2000, Weibull vs. lognormal distributions for fluvial gravels, *in Journal of Sedimentary Research*, v. 70, no. 3, p. 456-460.

Kondolf, G.M., et al. 2002, Channel response to increased and decreased bedload supply from land use change: contrasts between two catchments, *in Geomorphology*, v. 45, p. 35-51.

Kostachuk, R.A., MacDonald, G.M., and Putnam, P.E., 1986, Depositional processes and alluvial fan-drainage basin morphometric relationships near Banff, Alberta, Canada: *Earth Surface Processes and Landforms*, v. 11, p. 471-484.

Land, L.F., 1981, User's guide for a general purpose dam-break flood simulation model (K-634), U.S. Geological Survey Water-Resources Investigations Report 80-116, 106 p.

Lane, S.N., Richards, K.S., and Chandler, J.H., 1996, Discharge and sediment supply controls on erosion and deposition in a dynamic alluvial channel: *Geomorphology* vs. 15, p. 1-15.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Leece, S.A., 1990, The alluvial fan problem, in Rachocki, A.H., and Church, M., eds., *Alluvial Fans: A Field Approach*: Wiley, New York, p. 3-24.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Leopold, L.B., and Bull, W.B., 1979, Base level aggradation and grade: *Proceedings of the American Philosophical Society*: v. 123, p. 168-202.

Leopold, L.B., Wolman, M.G., and Miller, J.P., 1964, River Terraces, in Leopold, L.B., Wolman, M.G., and Miller, J.P., *Fluvial Processes in Geomorphology*: W.H. Freeman and Co., San Francisco, p. 459-485 (522 p. total).

Lewin, J., 1978, Floodplain geomorphology, *Progress in Physical Geography*, v. 2, p. 408-437.

Limerinos, J.T., 1970, Determination of the Manning coefficient from measured bed roughness in natural channels: *United States Geological Survey Water-Supply Paper 1989-B*, 47 p.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Lisle, T.E., 1979, A sorting mechanism for a riffle pool sequence, *Geological Society of America Bulletin*, v. 90, p. 1142-1157.

Mackin, J.H., 1948, The concept of the graded river: *Geological Society of America Bulletin*, v. 59, p. 463-512.

Magilligan, F., 1992, Thresholds and the spatial variability of flood power during extreme floods: *Geomorphology*, 5, 373-390.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):m-h

Massong, Tamara M., and Montgomery, David R. 2000, Influence of sediment supply, lithology, and wood debris on the distribution of bedrock and alluvial channels, in Geological Society of America Bulletin, v.112 p. 591-599.

On File

Melton, M.A., 1965, The geomorphic and paleoclimatic significance of alluvial deposits in Southern Arizona: Journal of Geology, v. 73, p. 1-38.

Merritts, D.J., Vincent, K.R., and Wohl, E.E., 1994, Long river profiles, tectonism, and eustasy: A guide to interpreting fluvial terraces: Journal of Geophysical Research (Special Issue on Tectonics and Topography), v. 99 (B7), p. 14031-14050.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Mertes, Leal, et al., 1996., Channel-floodplain geomorphology along the Solimões-Amazon river, Brazil, in Geological Society of America, v. 108, n. 9, p. 1089-107.

On File

Meyer, G.A., 1993, Holocene and modern geomorphic response to forest fires and climate change in Yellowstone National Park: Unpublished Ph.D. Dissertation, University of New Mexico, Albuquerque, New Mexico, 402 p.

Meyer, Grant A., 2001, Recent large-magnitude floods and their impact on valley-floor environments of northeastern Yellowstone: Geomorphology, v. 40, p. 271-290.

ON FILE

Meyer, G., Wells, S.G., Balling, R.C., and Jull, A.J., 1992, Response of alluvial systems to fire and climate change in Yellowstone National Park: Nature, v. 357, p. 147-150.

Meyer, G.A., Wells, S.G., Balling, R.C., Jr., and Jull, A.J.T., 1992, Response of alluvial systems to fire and climate change in Yellowstone National Park: Nature, v. 357, p. 147-150.

Meyer, G.A., Wells, S.G., and Jull, A.J.T., 1995, Fire and alluvial chronology in Yellowstone National Park: Climatic and intrinsic controls on Holocene geomorphic processes: Geological Society of America Bulletin, v. 107, p. 1211-1230.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Meyer, G.A., and Wells, S.G., 1997, Fire-related sedimentation events on alluvial fans, Yellowstone National Park, U.S.A.: Journal of Sedimentary Research, v. 67, p. 776-791.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):y Applicability(0,low,m,high):l

Miall, A.D., 1977, A review of the braided-river depositional environment: Earth Science Reviews, v. 13, p. 1-62.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Miall, Andrew (1981), Analysis of Fluvial Depositional Systems: AAPG Education course note series #20: AAPG. p. 1-75.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Miller, A.J., 1994, Debris-fan constrictions and flood hydraulics in river canyons: Some implications from two-dimensional flow modelling: Earth Surface Processes and Landforms, v. 19, p. 681-697.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Miller, A.J., 1990a, Fluvial response to debris associated with mass wasting during extreme floods, Geology, v. 18, p. 599-602.

Miller, A.J., 1998, Modeling considerations for simulation of flow in bedrock channels, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 61-104.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
A good summary of numerical models (finite diff., finite element, etc.)

Montgomery, D.R., Abbe, T.B., Buffington, J.M., Peterson, N.P., Schmidt, K.M., and Stock, J.D., 1996, Distribution of bedrock and alluvial channels in forested mountain drainage areas: Nature, v. 381, p. 587-589.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Montgomery, D.R., and Buffington, J.M., 1997, Channel-reach morphology in mountain drainage basins: Geological Society of America Bulletin, v. 109, p. 596-611.

On File

Montgomery, D.R., and Foufoula-Georgiou, E., 1993, Channel network source representation using digital elevation models: Water Resources Research, v. 29, p. 3925-3934.

On File

Montgomery, David R., Gran, Karen B., 2001, Downstream variations in the width of bedrock channels: Water Resources Research, v. 37, No. 6, p. 1841-1846.

ON FILE

Nanson, G. C., 1986, Episodes of vertical accretion and catastrophic stripping: a model of disequilibrium flood-plain development: Geological Society of America Bulletin, v. 97, p. 1467-1475.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Nanson, G.C. and Croke, J.c>, 1992, A genetic classification of floodplains, Geomorphology, v. 4, p. 459-486.

Nanson,, G.C. and Knighton, A.D., 1996, Anabranching rivers: their cause, character and

classification, Earth Surface Processes and Landforms, v. 21, p. 217-239.

Newson, M.D., 1992, Geomorphic Thresholds in gravel-bed rivers-refinement for an era of environmental change, in Dynamic of Gravel-bed Rivers, editors P. Billi, et al. Publisher John Wiley and Sons., p.3-20.

On File

Novak, I.D., 19??, Predicting coarse sediment transport: The Hjulstrom curve revisited: ???, from a volume of papers that includes Hack morphometry of appalachians???

(From Binghamton - Fluvial???)

O'Connor, Jim E., Jones, Myrtle A., Haluska, Tana L., 2003, Flood plain and channel dynamics of the Quinault and Queets rivers, Washington, USA: Geomorphology, v. 51, p.31-59.

ON FILE

O'Connor, J.E., and Baker, V.R., 1992, Magnitudes and implications of peak discharges from glacial Lake Missoula: Geological Society of America Bulletin, v. 104, p. 267-279.

O'Connor, J.E., Webb, R.H, and Baker, V.R., 1986, Paleohydrology of pool-and-riffle pattern development, Boulder Creek, Utah, Geol. Soc. Of Am. Bull., v. 97, p. 410-420.

Ouchi, Shunji, 2005, Development of offset channels across the San Andres fault: Geomorphology, v. 70, p. 112-128.

ON FILE

Palmer, A.N., 1991, Origin and morphology of limestone caves: Geological Society of America Bulletin, V. 103, p. 1-21.

Parker, Gary, et at., 1982, Bedload and size distribution in paved gravel-bed streams, in American

Society of Civil Engineers, p. 544-571.

On File

Patton, P.C., and Baker, V.R., 1976, Morphometry and floods in small drainage basins subject to diverse hydrogeomorphic controls: Water Resources Research, v. 12, p. 941-952.

Patton, P.C., 1988, Drainage basin morphometry and floods, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 51-64.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Pazzaglia, F.J., Gardner, T.W., and Merritts, D.J., 1998, Bedrock fluvial incision and longitudinal profile development over geologic time scales determined by fluvial terraces, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 207-235.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Pazzaglia, F.J., and Wegmann, K., 1998, Bedrock fluvial incision in the tectonically active setting evaluated in the context of the stream power law and the valley-width/channel width ratio [abs.]: Geological Society of America Abstracts with Programs, v. 30, no. 7, p. A-329.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Petit, F., Gob, F., Houbrechts, G., Assani, A.A., 2005, Critical specifiv stream power in gravel-bed rivers: Geomorphology, v. 69, p. 92-101.

ON FILE

Pierson, T.C., and Costa, J.E., 1987, A rheologic classification of subaerial sediment-water flows, in Debris flows, avalanches: Process, recognition, and mitigation, Costa, J.E., and Wieczorek, G.F., eds., Geological Society of America, Reviews in Engineering Geology, v. 7, p. 1-12.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h
Cross-reference in hillslope subheading

Porter, D.A., and Guccione, M.J., 1994, Deglacial flood origin of the Charleston Alluvial Fan, Lower Mississippi alluvial valley: Quaternary Research, v. 41, p. 278-284.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Potyondy, J.P., and Hardy, T., 1994, Use of pebble counts to evaluate fine sediment increase in stream channels, *in* Water Resource Bulletin, v. 30, no. 3, p. 509-520.

Rachocki, A.H., and Church, M., eds., Alluvial Fans - a field approach: New York, Wiley, p. 27-54.

Ralph, S.C., Poole, G.C., Conquest, L.L., Naiman, R.J., 1994, Stream channel morphology and woody debris in logged and unlogged basins of western Washington: Canadian Journal of Fisheries and Aquatic Science, v. 51, p. 37-51.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Rantz, S.E. (compiler), 1982, Measurment of stage and discharge, in Measurment and computation of streamflow, U.S. Geological Survey Water-Supply Paper 2175, v. 1, p. 281-284.

Reid, Leslie M., 1996, Rapid evaluation of sediment budgets, in Hydrogeology, p. 164.

On File

Rich, J.L., 1935, Origin and evolution of rock fans and pediments: Geological Society of America, v. 46, p. 999-1024.

Richards, K.S., 1976, The morphology of riffle-pool sequences, Earth Surface Processes, v. 1, p. 71-88.

Richards, K.S., 1978a, Channel geometry in the riffle-pool sequence, Geografiska Annaler, v. 60A, p. 23-27.

Richards, K.S., 1978b, Simulation of flow geometry in a riffle-pool stream, *Earth Surface Processes*, v. 3, p. 345-354.

Riggs, H.C., 1976, A simplified slope-area method for estimating flood discharges in channels: *Journal of Research of the U.S. Geological Survey*, v. 4, p. 285-291.

Ritter, Dale F., and Blakey, Donald S., 1986, Localized catastrophic disruption of the Gasconade River flood plain during the December 1982 flood, southeast Missouri: *Geology*, v. 14, p. 472-476.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Ritter, D.F., Kochel, R.C., and Miller, J.R., 1995, *Process Geomorphology* 3rd Ed.: W.C. Brown Publishers, Dubuque, IA, 539 pp.

Chapter 1 Process Geomorphology: An Introduction
Chapter 4 Physical Weathering, Mass Movement, and Slopes
Chapter 5 The Drainage Basin
Chapter 6 Fluvial Processes
Chapter 7 Fluvial Landforms

Ritter, J.B., and 16 others, 1993, Quaternary evolution of Cedar Creek alluvial fan, Montana: *Geomorphology*, v. 8, p. 287-304.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

Rosgen, D.L., 1994, A classification of natural rivers: *Catena*, v. 22, p. 169-199.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Rust, B.R., 1972, Structure and process in a braided river: *Sedimentology*, v. 18, p. 221-245.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Schmidt, J.C., 1999, Summary and synthesis of geomorphic studies conducted during the 1996 controlled flood in Grand Canyon, The Controlled Flood in Grand Canyon Geophysical Monograph 110, pp. 329-341.

On File No PDF

Schumm, S.A., 1960, The shape of alluvial channels in relation to sediment type: U.S. Geological Survey Professional Paper 352-B, p. 17-30.

Schumm, S.A., 1973, Geomorphic thresholds and complex response of drainage systems in Morisawa, M., ed., *Fluvial Geomorphology*, SUNY Binghamton, Publications in Geomorphology, p. 299-310.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Schumm, S.A., 1993, River response to baselevel change: implications for sequence stratigraphy: *Journal of Geology*, v. 101, p. 279-294.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Schumm, S. A., 1977, The fluvial system: New York, John Wiley & Sons, 338 p.

Chapter 1 Introduction
Chapter 2 Variables and Change
Chapter 3 Climate Change and Paleohydrology
Chapter 4 Drainage Basin
Chapter 5 Rivers (Zone 2)
Chapter 6 Valleys and Valley Fills (Zones 1 and 2)
Chapter 7 Piedmont (Zone 3) (p. 246-264).

Schumm, S.A., and Brackenridge, G.R., 1987, River responses, in Ruddiman, W.F., and Wright, H.E., Jr., eds., North America and adjacent oceans during the last deglaciation: Boulder, CO, Geological Society of America, The Geology of North America, v. K-3, p. 221-240.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l-m

Schumm, S.A. and Lichty, R.W., 1965, time, space and causality in geomorphology: American Journal of Science, v. 263, p. 110-119.

Seidl, M.A., and Dietrich, W.E., 1992, The problem of channel erosion into bedrock, in Schmidt, K.H., and d. Ploey, J., eds., Functional Geomorphology, Catena Supplement 23, p. 101-124.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Shyuer-Ming Shih, and Komar, Paul D., 1990, Hydraulic controls of grain size distributions of bedload gravels in oak, creek, oregon, usa, in Sedimentology, p. 367-376.
On File

Sigafoos, R.S., 1964, Botanical evidence of floods and flood-plain deposition: U.S. Geological Survey Professional Paper 485-A, 35 p.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
Cross-Reference to Biogeomorphology Subheading

Sikonia, W.G., 1992, Mass-conserving methods of characteristics for streamflow modeling, U.S. Geological Survey Water-Supply Paper 2369: U.S. Geological Survey, Denver, CO, 44 p.

Sklar, L., Dietrich, W.E., and Howard, A.D., 1996, The influence of sediment supply on river incision into bedrock: A theoretical investigation: EOS Transactions of the American Geophysical Union, v. 77, No. 46, p. 251-252.

Sklar, L., and Dietrich, W.E., 1997, The influence of downstream variations in sediment supply and transport capacity on bedrock channel longitudinal profiles: EOS Transactions of the American Geophysical Union, v. 78(F), p. 229.

Sklar, L., and Dietrich, W.E., 1998, River longitudinal profiles and bedrock incision models: Stream power and the influence of sediment supply, in Tinkler, K., and Wohl, E., eds.,

- Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 237-259.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
- Smith, G.A., 1986, Coarse-grained nonmarine volcanoclastic sediment: Terminology and depositional processes: Geological Society of America Bulletin, v. 97, p. 1-10.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l
- Snyder, N.P., et al. 2003, Channel response to tectonic forcing, field analysis of stream morphology and hydrology in the Mendocino triple junction region, northern California, *in* Geomorphology, v. 53, p. 97-127.
- Stock, J.D., and Montgomery, D.R., in press (1998), Can we predict the rate of bedrock river incision using the stream power law?: Journal of Geophysical Research
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):m-h
- Sugai, T., 1993, River terrace development by concurrent fluvial processes and climate changes: Geomorphology, v. 6, p. 243-252.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l
- Suzuki, T., 2002, Rock control in geomorphological processes: research history in Japan and perspective, *in* Japanese Geomorphological Union (23-2), p. 161-199.
- Takahashi, G., 1990, A study on the riffle-pool concept, Transactions of the Japanese Geomorphological Union, v. 11, no.4, p. 319-336.
- Thomas, Wilbert O., 1987, Techniques used by the U. S. Geological Survey in estimating the magnitude and frequency of floods, in Mayer, L., and Nash, D., eds., Catastrophic Flooding: London, Allen and Unwin, p. 267-288.
On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l
- Thorne, C.R., Chang, H.H., and Hey, R.D., 1988, Prediction of hydraulic geometry of gravel-bed streams using the minimum stream power concept, in White, W.R. (ed.) International Conference on River Regime: John Wiley and Sons, Publishers, Chichester, p. 29-40.
- Thorne, C.R., and Zevenbergen, L.W., 1985, Estimating mean velocity in mountain rivers: Journal of Hydraulic Engineering, v. 111, p. 612-624.
- Tinkler, K., and Wohl, E., 1998, A primer on bedrock channels, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 1-18.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m
- Tinkler, K., and Wohl, E., 1998, Field studies of bedrock channels, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 261-277.
On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Trimble, S.W., 1983, A sediment budget for Coon Creek basin in the Driftless Area, Wisconsin, 1853-1977: American Journal of Science, v. 283, p. 454-474.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l

U.S. Water Resource Council, 1981, Guidelines for determining flood flow frequency, Bulletin #17B of the Hydrology Committee, Washington, D.C.

Waitt, R.B., 1980. About forty last-glacial Lake Missoula jokulhlaups through southern Washington: Journal of Geology, v. 88, p. 653-679.

Waitt, R.B., 1984, Periodic jokulhlaups from Pleistocene glacial Lake Missoula - new evidence from varved sediments in northern Idaho and Washington: Quaternary Research, v. 22, p. 46-58.

Waitt, R.B., 1985, Case for periodic colossal jokulhlaups from Pleistocene glacial Lake Missoula: Geological Society of America Bulletin, v. 96, p. 1271-1286.

Webb, R.H., 19??, Occurrence and geomorphic effects of streamflow and debris flow floods in northern Arizona and southern Utah: from a text or volume???, p. 248-263.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Webb, R.H., Wegner, D.L., Andrews, E.D., Valdez, R.A., Patten, D.T., 1995, Downstream effects of Glen Canyon Dam on the Colorado River in Grand Canyon: A review, The Controlled Flood in Grand Canyon Geophysical Monograph 110, pp. 1-21.

On File No PDF

Wells, S. G., and Harvey, A. M., 1987, Sedimentologic and geomorphic variations in storm-generated alluvial fans, Howgill Fells, northwest England: Geological Society of America Bulletin, v. 98, p. 182-198.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Werritty, A., 1992., Downstream fining in a gravel-bed river in southern Poland: lithologic controls and the role of abrasion, in Dynamic of Gravel-bed Rivers, editors P. Billi, et al. Publisher John Wiley and Sons., p. 333-350.

On File

Whipple, K.X., and Dunne, T., 1992, The influence of debris-flow rheology on fan morphology, Owens Valley, California: Geol. Soc. of America Bulletin, v. 104, p. 887-900.

Whipple, K.X., Hancock, G.S., Anderson, R.S., 2000, River incision into bedrock: mechanics and relative efficacy of plucking, abrasion, and cavitation, GSA Bulletin, v. 112, no. 3, pp. 490-503.

On File No PDF

Whittaker, J.G., 1987, Sediment transport in step-pool streams: Sediment Transport in Gravel-

bed Rivers, p. 545-579.
ON FILE

Whittaker, J.G. and Jaeggi, M.N.R., 1982, Origin of step-pool systems in mountain streams, American Society of Civil Engineers Journal of the Hydraulics Division, v. 8, no. HY6, p. 758-773.

Williams, G.P., 1978, Bankfull discharge of rivers: Water Resources Research, v. 14, p. 1141-1154.

Williams, G.P., 1983, Paleohydrological methods and some examples from Swedish fluvial environments, I - Cobble and boulder deposits: Geografiska Annaler. 65A, 227-243.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):m-h

Williams, G. P., 1984, Paleohydrologic equations for rivers, in Costa, J. E., and Fleisher, P. J., eds., Developments and applications of geomorphology: Berlin, Springer-Verlag, p. 343-367.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Williams, G.P., and Costa, J.E., 1988, Geomorphic measurements after a flood, in Baker, V.R., Kochel, R.C., and Patton, P.C., eds., Flood Geomorphology, Wiley, New York, p. 65-77.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):h

Wohl, E.E., 1998, Bedrock channel morphology in relation to erosional processes, in Tinkler, K., and Wohl, E., eds., Rivers over rock: Fluvial processes in bedrock channels: Geophysical Monograph Series, v. 107, American Geophysical Union, Washington, D.C., p. 133-151.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):l-m

Wohl, E., 1994, Energy Expenditure in deep, narrow bedrock canyons: Geological Society of America Abstract with Programs, v. 26, p. 233-234.

Wohl, Ellen, Achyuthan, Hema, 2002, Geological note substrate influences on incised-channel morphology: The Journal of Geology, v. 110, p. 115-120.

ON FILE

Wohl, E.E., and Pearthree, P.P., 1991, Debris flows as geomorphic agents in the Huachuca Mountains of Southeastern Arizona: Geomorphology, Vol. 4, p. 273-292.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l
Cross-reference in hillslope subheading

Wolcott, John, 1988., Nonfluvial control of bimodal grain size distribution in river bed gravels, in

Journal of Sedimentary Petrology, vol. 58 # 6. P. 979-984.

On File X-ref(Y/N):n Applicability(0,low,m,high):l

Wolman, M.G., 1955, The natural channel of Brandywine Creek, Pennsylvania: U.S. Geological

Survey Professional Paper 271, 56 p.

On file(Y/N):y Read?(Y/N):n X-ref(Y/N):n Applicability(0,low,m,high):m-h

Wolman, M. Gordon, and Gerson, Ran, 1978, Relative scales of time and effectiveness of climate in geomorphology in watershed geomorphology: Earth Surface Processes, v. 3, p. 189-208.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Wolman, M.G., and Miller, J.P., 1960, Magnitude and frequency of forces in geomorphic processes: Journal of Geology, v. 68, p. 54-74.

On file(Y/N):y Read?(Y/N):y X-ref(Y/N):n Applicability(0,low,m,high):l

Yang, C.T., 1971, Formation of riffles and pools, Water Resources Research, v. 7, p. 1567-1574.

Yanosky, T. M., 1982, Hydrologic inferences from ring widths of flood-damaged trees, Potomac River, Maryland: Environmental Geology, v. 4, p. 43-52.

On file(Y/N):y Read?(Y/N):y