

## **Newberry References – Updated 10/28/04**

- Bacon, C.R., 1983, Eruptive history of Mount Mazama, Cascade Range, U.S.A.: *Journal of Volcanology and Geothermal Research*, v. 18, p. 57-115.
- Bargar, K.E., and Keith, T.E., 1999, Hydrothermal mineralogy of core from geothermal drill holes at Newberry volcano, Oregon: U.S. Geological Survey professional paper 1578, p. 83-86.
- Bloomfield, K., 1975, A late-Quaternary monogenetic volcanic field in central Mexico: *Geologische Rundschau*, v. 64, p. 476-497.
- Blauvelt, D.J., 1998, Examples of scoria cone degradation in the San Francisco volcanic field, Arizona: M.S. Thesis, State University of New York at Buffalo, Amherst, NY, 127 p.
- Carn, S.A., 2000, The Lamongan volcanic field, East Java, Indonesia: Physical volcanology, historic activity and hazards: *Journal of Volcanology and Geothermal Research*, v. 95, p. 81-108
- Chitwood, L.A., 2000, Geologic overview of Newberry Volcano, in Jensen, R.A., and Chitwood, L.A., eds., *What's New at Newberry Volcano, Oregon: Guidebook for the Friends of the Pleistocene Eighth Annual Pacific Northwest Cell Field Trip*, p. 27-30.
- Condit, C.D., and Connor, C.B., 1996, Recurrence rates of volcanism in basaltic volcanic fields: An example from the Springerville volcanic field, Arizona: *Geological Society of America Bulletin*, v.108, p. 1225-1241.
- Connor, C.B. and Condit, C.D., 1989, Evidence of structural controls on vent distribution: Springerville volcanic field, Arizona: *Geologic Society of America Abstracts with Programs*, v. 21, A15.
- Connor, C.B., 1990, Cinder cone clustering in the TransMexican Volcanic Belt: Implications for structural and petrologic models: *Journal of Geophysical Research*, v. 95, p. 19,395-19,405.
- Connor, C.B., Condit, C.D., Crumpler, L.S., and Aubele, J.C., 1992, Evidence of regional structural controls on vent distribution: Springerville volcanic field, Arizona: *Journal of Geophysical Research*, v. 97, p.12,349-12,359.
- Connor, C.B., 1987, Cluster analysis and 2-d fourier analysis of cinder cone distributions, Central Mexico and SE Guatemala: *Eos*, vol. 68, no. 44, p. 1526.
- Conway, F.M., Connor, C.B., Hill, B.E., Condit, C.D., Mullaney, K., and Hall, C.M., 1998, Recurrence rates of basaltic volcanism in SP cluster, San Francisco volcanic field, Arizona: *Geology*, v. 26, p. 655-658.
- Dohrenwend, J.C., Wells, S.G., and Turrin, B.D., 1986, Degradation of Quaternary cinder cones in the Cima volcanic field, Mojave Desert, California: *Geological Society of America Bulletin*, v.97, p. 421-427.
- Donnelly-Nolan, J.M., Champion, D.E., and Lanphere, M.A., 2000, North flank stratigraphy revealed by new work at Newberry Volcano, Oregon, in, Jensen, R.A., and Chitwood, L.A., eds., *What's New at Newberry Volcano, Oregon: Guidebook for the Friends of the Pleistocene Eighth Annual Pacific Northwest Cell Field Trip*, p. 178-180.
- Giles, D.E.L., Taylor, S.B., and Templeton, J.H., 2003, Compilation of a digital geologic map and spatial database for Newberry volcano, central Oregon: A framework for comparative analysis: *Geological Society of America Abstracts with Programs*, v. 35, no. 6, p. 189.

Hasenaka, T., and Carmichael, I.S.E., 1985, The cinder cones of Michoacan-Guanajuato central Mexico: Their age, volume and distribution, and magma discharge rate: *Journal of Volcanology and Geothermal Research*, v. 25, p. 105-124.

Hasenaka, T., and Carmichael, I.S.E., 1985, A compilation of location, size, and geomorphological parameters of volcanoes of the Michoacan-Guanajuato volcanic field, central Mexico: *Geofisica Internacional*, v. 24-4, p. 577-607.

Head, J.W., and Wilson, L., 1989, Basaltic pyroclastic eruptions: Influence of gas-release patterns and volume fluxes on fountain structure, and the formation of cinder cones, spatter cones, rootless flows, lava ponds and lava flows: *Journal of Volcanology and Geothermal Research*, v.37, p. 261-271.

Higgins, MW., 1973, Petrology of Newberry Volcano, Central Oregon: *Geological Society of America Bulletin*, v. 84, p. 455-488.

Hooper, D.M., 1994, Geomorphic modeling of the degradational evolution of scoria cones: Unpublished Ph.D. Dissertation, SUNY Buffalo, 205 p.

Hooper, D.M., and Sheridan, M.F., 1998, Computer-simulation models of scoria cone degradation: *Journal of Volcanology and Geothermal Research*, v. 83, p. 241-267.

Hooper, D.M., 1994, Geomorphologic Modeling of the degradational evolution of scoria cones: a dissertation submitted to the faculty of the Graduate School of State University of New York at Buffalo, 312 p.

Inbar, M., Hubp, J.L., and Ruiz, L.V., 1994, The geomorphological evolution of then Paricutin cone and lava flows, Mexico, 1943-1990: *Geomorphology*, v. 9, p. 57-76.

Jensen, R.A., 2000, Roadside Guide to the Geology of Newberry Volcano, 3rd ed.: CenOreGeoPub, Bend, Oregon, 168 pp.

Jensen, R.A., and Chitwood, L.A., 2000, Geologic overview of Newberry Volcano, in Jensen, R. A., and Chitwood, L. A., eds., What's New at Newberry Volcano, Oregon: Guidebook for the Friends of the Pleistocene Eighth Annual Pacific Northwest Cell Field Trip, p. 27-30.

Jensen, R.A., Chitwood, L.A., Kuehn, S.C., Donnelly-Nolan, J.M., Reynolds, R.W., Connolly, T.J., Castro, J., Linneman, S., Claeysens, P.G., 2000, Newberry field trip guide, in Jensen, R.A., and Chitwood, L.A., eds., What's New at Newberry Volcano, Oregon: Guidebook for the Friends of the Pleistocene Eighth Annual Pacific Northwest Cell Field Trip, p. 5-26.

Jensen, R.A., and Chitwood, L.A., 2000, Lava Butte Eruption and Lake Benham, Oregon, in, Jensen, R.A., and Chitwood, L.A., eds., What's New at Newberry Volcano, Oregon: Guidebook for the Friends of the Pleistocene Eighth Annual Pacific Northwest Cell Field Trip, p. 178-180.

Kear, D., 1964, Volcanic alignments north and west of New Zealand's central volcanic region: *New Zealand Journal of Geology and Geophysics*, v. 7, p. 24-44.

Kuehn, S.C., and Foit, F.F., 2000, Silicic tephra of Newberry Volcano, in Jensen, R.A., and Chitwood, L.A., eds., What's New at Newberry Volcano, Oregon: Guidebook for the Friends of the Pleistocene Eighth Annual Pacific Northwest Cell Field Trip, p. 135-163.

- Luhr, J.F., and Carmichael, I.S.E., 1981, The Colima volcanic complex, Mexico: Part II. Late-Quaternary cinder cones: *Contributions to Mineralogy and Petrology*, v. 76, p. 127-147.
- Lutz, T.M., 1986, An analysis of the orientations of large-scale crustal structures: a statistical approach based on areal distributions of pointlike features: *Journal of Geophysical Research*, vol. 91, no. B1, p. 421-434.
- MacLeod, N.S., and Sammel, E.A., 1982, Newberry volcano, Oregon, A Cascade Range geothermal prospect: *Oregon Geology*, v. 44, no. 11, p. 123-131.
- MacLeod, N.S., 1978, Newberry volcano, Oregon; preliminary results of new field investigations: *Abstracts with programs – Geological Society of America*, p. 115.
- MacLeod, N. S., and Sherrod, D. R., 1988, Geologic evidence for a magma chamber beneath Newberry Volcano, Oregon: *Journal of Geophysical Research*, v. 93, p. 10,067-10,079.
- MacLeod, N.S., Sherrod, D.R., Chitwood, L.A., and McKee, E.H., 1981, Newberry Volcano, Oregon, in Johnston, D. A., and Donnelly-Nolan, J., eds., *Guides to some volcanic terranes in Washington, Idaho, and northern California*: U.S. Geological Survey Circular 838, p. 85-103.
- MacLeod, N.S., Sherrod, D.R., Chitwood, L.A., and Jensen, R.A., 1995, *Geologic Map of Newberry Volcano, Deschutes, Klamath, and Lake Counties, Oregon*: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-2455, scales 1:62,500 and 1:24,000.
- Martin Del Pozzo, A.L., 1982, Monogenetic vulcanism in Sierra Chichinautzin, Mexico: *Bulletin of Volcanology*, v. 45, p. 9-24.
- Martinex-Hackert, B., and Bursik, M., 2001, Observations of hillslope degradation on scoria cones in the San Francisco volcanic field, AZ, following the Hochderffer Fire, 1996: *Geological Society of America Abstracts with Programs*, v. 233, p. 15.
- Norini, G., et al., 2004, Morphological analysis of Nevado de Toluca volcano (Mexico): new insights into the structure and evolution of an andesitic to dacitic stratovolcano: *Geomorphology*, v. 62, p. 47-61.
- McKnight, S.B., and Williams, S.N., 1997, Old cinder cone or young composite volcano? The nature of Cerro Negro, Nicaragua: *Geology*, v. 25-4, p. 339-342.
- Nakamura, K., 1977, Volcanoes as possible indicators of tectonic stress orientation – Principles and proposal: *Journal of Volcanology and Geothermal Research*, v. 2, p. 1-16.
- Porter, S.C., 1972, Distribution, morphology, and size frequency of cinder cones on Mauna Kea volcano, Hawaii: *Geological Society of America Bulletin*, v. 83, p. 3607-3612.
- Priest, G.R., Vogt, B.F., and Black, G.L., eds., 1983, *Survey of potential geothermal exploration sites at Newberry volcano, Deschutes County, Oregon*: Oregon Department of Geology and Mineral Industries Open-File Report O-83-3, 123 p.
- Rech, J.A., Reeves, R.W., and Hendricks, D.M., 2001, The influence of slope aspect on soil weathering processes in the Springerville volcanic field, Arizona: *Catena*, v. 43, p. 49-62.
- Sammel, E.A., 1981, Results of test drilling at Newberry volcano, Oregon—and some implications for geothermal prospects in the Cascades: *Geothermal Resources Council Bulletin*, v. 10, no. 11, p. 3-8.

- Sammel, E.A., 1983, The shallow hydrothermal system at Newberry volcano, Oregon: a conceptual model: Geothermal Resources Council Transactions, v. 7, p. 325-330.
- Sammel, E.A., and Craig, R.W., 1983, Hydrology of the Newberry volcano caldera, Oregon: U.S. Geological Survey Water Resources Investigations Report 83-4091, 52 p.
- Sammel, E.A., Ingebritsen, S.E., and Mariner, R.H., 1988, The hydrothermal system at Newberry volcano, Oregon: Journal of Geophysical Research, v. 93, no., B9, p. 10,149-10,162.
- Scott, D.H., and Trask, N.J., 1971, Geology of the Lunar Crater volcanic field, Nye County, NV: U.S. Geological Survey Professional Paper, 599-I, 22 p.
- Settle, M., 1979, The structure and emplacement of cinder cone fields: American Journal of Science, v. 279, p. 1089-1107.
- Sherrod, D.R., Mastin, L.G., Scott, W.E., and Schilling, S.P., 1997, Volcano hazards at Newberry Volcano, Oregon: U. S. Geological Survey, Open-file Report 97-513, 14 pp.
- Sherrod, D.R., and Smith, J.G., 1990, Quaternary extrusion rates of the Cascade Range, northwestern United States and southern British Columbia: Journal of Geophysical Research, v. 95, no. B12, p. 19,465-19,474.
- Siebert, L., and Carrasco-Nunez, G., 2002, Late-Pleistocene to Precolumbian behind-the-arc mafic volcanism in the eastern Mexican volcanic belt; implications for future hazards: Journal of Volcanology and Geothermal Research, v. 115, no. 1-2, p. 179-205.
- Swanberg, C.A., and Combs, Jim, 1986, Geothermal drilling in the Cascade Range, preliminary results from a 1387-m core hole, Newberry volcano, Oregon: Eos, Transactions, American Geophysical Union, v. 67, no. 29, p. 578-580.
- Taylor, S.B., Templeton, J.H., and Giles, D.E.L., 2003, Cinder Cone Morphometry and Volume Distribution at Newberry Volcano, Oregon: Implications for Age Relations and Structural Control on Eruptive Process: Geological Society of America Abstracts with Programs, v. 35, no. 6, Fall National Meeting, Seattle.
- Thorarinsson, F., Magnusson, S.G., and Bjornsson, A., 1988, Directional spectral analysis and filtering of geophysical maps: Geophysics, vol. 53, no. 12, p. 1587-1591.
- U.S. Census Bureau, 2003, Census data for the state of Oregon: online resource, <http://www.census.gov>.
- Wadge, G., and Cross, A., 1988, Quantitative methods for detecting aligned points: an application to the volcanic vents of the Michoacan-Guanajuato volcanic field, Mexico: Geology, vol. 16, p. 815-818.
- Walker, G.W., and MacLeod, N.S., 1991, Geologic Map of Oregon: U.S. Geological Survey, Scale, 1:500,000.
- Wells, S., McFadden, L.D., Renault, C.E., and Crowe, B.M., 1990, Geomorphic assessment of late Quaternary volcanism in the Yucca Mountain area, southern Nevada: Implications for the proposed high-level radioactive waste repository: Geology, v. 18, p. 549-553
- Wells, S., et al., 1992, Later Quaternary geology of small basaltic volcanic centers, SW USA; disparity among dating methods and implications for volcanic and geomorphic studies: Abstracts with programs – Geological Society of America, vol. 24, no. 7, p. A102.A102.

Wood, C.A., 1980a, Morphometric evolution of cinder cones: *Journal of Volcanology and Geothermal Research*, v. 7, p. 387-413.

Wood, C.A., 1980b, Morphometric analysis of cinder cone degradation: *Journal of Volcanology and Geothermal Research*, v. 8, p. 137-160.

Wood, C.A., 1981, On the geometric form of volcanoes—comment: *Earth and Planetary Science Letters*, v. 57, p. 451-452.

Zhang, D. and Lutz, T., 1989, Structural control of igneous complexes and kimberlites: a new statistical method: *Tectonophysics*, v. 159, p. 137-148.