

PNW General Geomorphology Cross-References *xreferences.doc* 3/5/01

- Adams, J., 1984, Active deformation of the Pacific Northwest continental margin, *Tectonics*, v. 3, p. 449-472.
- Agee, J.K., 1993, *Fire ecology of PNW forests*, Island Press, Washington ,D.C.
- Aitken, M.J., 1985, *Thermoluminescence Dating*, Academic, New York, 351 p.
- Allison, I.S., 1935, Glacial erratics in Willamette Valley, *Geological Society of America Bulletin*, v. 46, p. 615-632.
- Allison, I.S., 1979, *Fluvial Fort Rock Lake, Lake County, Oregon*, Oregon State Department of Geology and Mineral Industries Special Paper No. 7.
- Allison, I.S., 1982, *Geology of Fluvial Lake Chewaucan, Lake County, Oregon*, Oregon State University Geologic Study 11, Oregon State University Press, Corvallis, Oregon.
- Apman, R.P., 1973, Estimating discharge from super-elevation in bends, *American Society of Civil Engineers, Hydraulics Division Journal*, v. 99, No. HY1, p. 65-79.
- Atwater, B.F., 1984, Periodic floods from glacial Lake Missoula into the Sanpoil arm of glacial Lake Columbia, northeastern Washington: *Geology*, v. 12, p. 464-467.
- Atwater, B.F., 1987, Evidence for great Holocene earthquakes along the outer coast of Washington State, *Science*, v. 236, p. 942-944.
- Atwater, B.F. and Yamaguchi, D.K., 1991, Sudden, probably coseismic subsidence of Holocene trees and grass in coastal Washington State, *Geology*, v. 9, p. 706-709.
- Atwood, W.W., 1935, The glacial history of an extinct volcano, Crater Lake National Park, *Journal of Geology*, v. 43, p. 142-168.
- Bacon, C.R., 1983, Eruptive history of Mount Mazama and Crater Lake caldera, Cascade Range, U.S.A., *Journal of Volcanology and Geothermal Research*, v. 18, p. 57-115.
- Baker, V.R., 1973, Paleohydrology and sedimentology of Lake Missoula flooding in eastern Washington: *Geological Society of America Special Paper* 144, 79 p.
- Baker, V.R., Bjornstad, A.J., Busacca, F., Kiver, E.P., Moody, U.L., Rigby, J.G., Stradling, D.F., Tallman, A.M., 1991, Quaternary Geology of the Columbia Plateau, in Morrison, R.B., *Quaternary Nonglacial geology of the coterminous United States*, Geological Society of America Series, v. K-2, p. 215-250.
- Balster, C.A. and Parsons, R.B., 1968, *Geomorphology and soils, Willamette Valley, Oregon*, Oregon Agric. Exp. Stn. Spec. Report 265.
- Balster, C.A. and Parsons, R.B., 1969, Late Pleistocene stratigraphy, southern Willamette Valley, Oregon, *Northwest Sci.*, v. 43, p. 116-129.
- Barnes, H.H., 1967, *Roughness Characteristics of Natural Channels*, U.S. Geological Survey Water-Supply Paper 1849: U.S. Geological Survey, Reston, VA, 213 p.
- Barnosky, C.W., Anderson, P.M., and Bartlein, P.J., 1987, The northwestern U.S. during deglaciation; Vegetational history and paleoclimatic implications: in Ruddiman, W.F., and Wright, H.E. Jr. (eds.), *North America and adjacent oceans during the last deglaciation*, v. K-3, p. 289-321, Geological Society of America, Boulder.

Benito, G. and O'Connor, J.E., 1991, Hydraulics and geomorphic features of the Late Pleistocene Missoula flooding in the Columbia River Gorge: geological Society of America Abstract with Programs, v. 23(5), p. 207.

Benner, P.A. and Sedell, J.R., 1997, Upper Willamette River landscape; a historical perspective, in River quality: dynamics and restoration, Laane, A. and Dunnette, D.A., eds., p. 23-47, CRC Press, Boca Raton, Florida.

Benson, L.V., Currey, D.R., Dorn, R.I., Lajoie, K.R., Oviatt, C.G., Robinson, S.W., Smith, G.I., and Stine, S., 1990, Chronology of expansion and contraction of four Great Basin lake systems during the past 35,000 years, Paleogeography, Paleoclimatology, Paleoecology, v. 78, p. 241-286.

Benson, M.A. and Dalrymple, T., 1967, General field and office procedures for indirect discharge measurements, U.S. Geological Survey Techniques of Water Resource Investigations, book 3, chapter A-1, 30 p.

Berger, G.W., 1988, Dating Quaternary events by luminescence, in Easterbrook, D.J., Geological Society of America Special Paper 227, p. 13-50.

Berger, G.W., 1993, Dating loess up to 800 ka by thermoluminescence: reply: Geology, v. 21, p. 569.

Bbowmik, N.G., 1985, Hydraulic geomorphology of floodplains, J. of Hydrol., v. 63, p. 369-401.

Bockheim, J.G., Kelsey, H.M., and Marshall, J.G., III, 1992, Soil development, relative dating and correlation of late Quaternary marine terraces in southwestern Oregon, Quat. Res., v. 37, p. 60-74.

Bretz, J.H., 1919, The late Pleistocene submergence in the Columbia valley of Oregon and Washington: Journal of Geology, v. 27, p. 489-506.

Bretz, J.H., 1923, The Channeled Scabland of the Columbia Plateau: Journal of Geology, v. 31, p. 617-649.

Bretz, 1925, The Spokane Flood beyond the channeled scablands: Journal of Geology, v. 33, p. 97-115, 236-259.

Bretz, J.H., 1928, Bars of channeled scabland: Geological Society of America Bulletin, v. 39, p. 643-701.

Bretz, J.H., 1930, Valley deposits immediately west of the channeled scabland: Journal of Geology, v. 38, p. 385-422.

Bretz, J.H., 1932, The Grand Coulee: American Geographical Society Special Publication 15, 89 p.

Bretz, J.H., 1933, New Version of the Spokane Flood: geological Society of America Bulletin, v. 44, p. 675-722.

Bretz, J.H., 1935, Glacial erratics in Willamette Valley: Geological Society of America Bulletin, v. 46, p. 615-632.

Bretz, J.H., 1969, The Lake Missoula floods and the channeled scabland: Journal of Geology, v. 77, p. 505-543.

Bretz, J.H., Smith, H.T.U., and Neff, G.E., 1956, Channeled scabland of Washington, new data and interpretation: Geological Society of America Bulletin, v. 67, p. 957-1049.

Broecker, W.S., 1997, Thermohaline circulation, the Achilles heel of our climate system: will manmade CO₂ upset the current balance?, Science, v. 278, p. 1582-1589.

- Busacca, A.J., 1989, Long Quaternary record in eastern Washington, U.S.A., interpreted from multiple buried soils in loess: *Geoderma*, v. 45, p. 105-122.
- Busacca, A.J., 1991, Loess deposits of the Palouse and vicinity, in Morrison, R.B. (ed.), *Quaternary Nonglacial Geology of the coterminous United States: Geological Society of America Series*, v. K-2, p.216-228.
- Busacca, A.J. and McDonald, E.V., 1994, Regional sedimentation of late Quaternary loess on the Columbia Plateau: Sediment source areas and loess distribution patterns, in Lasmanis, R. and Cheney, E.S. (eds.), *Regional Geology of Washington State: Washington Div. Geol. Earth Resources Bull.*, v. 80, p. 181-190.
- Busacca, A.J., Nelstead, K.T., McDonald, E.V, and Purser, M.D., 1992, Correlation of distal tephra layers in loess in the Channeled Scabland and Palouse of Washington state: *Quat. Res.*, N.Y., v. 37, p. 281-303.
- Carling, P.A., 1989, Hydrodynamic models of boulder berm deposition, *Geomorphology*, v. 2, p. 319-340.
- Carlston, C.W., 1963, Drainage density and streamflow, U.S. Geological Survey Professional Paper 422-C, 8 p.
- Chitwood, L.A., 1976, Geology and physiography of the Deschutes National Forest, in *Soil Resource Inventory of Deschutes National Forest*, Larson, D.M., ed., U.S.D.A. Forest Service, Bend, Oregon, p. 280-289.
- Chow, V.T., 1959, *Open-channel hydraulics*, New York, McGraw-Hill, 690 p.
- Clarke, S.H. Jr. and Carver, G.A., 1992, Late Holocene tectonics and paleoseismicity, southern Cascadia subduction zone,, *Science*, v. 255, p. 188-192.
- Clemens, K.E. and Komar, P.D., 1988a, Oregon beach-sand compositions produced by the mixing of sediments under a transgressing sea, *Journal of Sedimentary Petrology*, v. 58, p. 519-529.
- Clemens, K.E. and Komar, P.D., 1988b, Tracers of sand movement on the Oregon coast, Coastal Engineering Conference, 21st, Proceedings: American Society of Civil Engineers, p. 1338-1351.
- Colman, S.M. and Pierce, K.L., 1981, Weathering rinds on andesitic and basaltic stones as a Quaternary age indicator, western United States, U.S. Geological Survey Professional Paper 1210, 56 p.
- Colman, S.M. and Pierce, K.L., 1985, Correaltion of Quaternary glacial sequences in the western United States based on weathering rinds and related studies, in *Correlation of Quaternary chronologies*, Mahaney, W.C., ed., p. 437-453, Geobooks, Norwich, England.
- Cooper, W.S., 1958, Coastal sand dunes of Oregon and Washington, G.S.A. Memoir 72, Boulder, CO, 169 p.
- Costa, J.E., 1994, Multiple flow processes accompanying a dam-break flood in a small upland watershed, Centralia, Washington, U.S Geological Survey, Water-Res. Invest. Rep. 94-4026, 20 p.
- Costa, J.E. and Schuster, R.L., 1988, The formation and failure of natural dams, *Geol. Soc. Am. Bull.*, v. 100, p. 1054-1068.
- Crandell, D.R., 1965, The glacial history of western Washington and Oregon, in *The Quaternary of the U.S.*, Wright, H.E. and Frey, D.G., eds., p. 341-353, Princeton University Press.
- Crandall, D.R., 1980, Recent eruptive history of Mount Hood, Oregon, and potential hazards from future eruptions, U.S. Geological Survey Bulletin 1492, 81 p.

- Dalrymple, Tate, and Benson, M.A., 1967, Measurement of peak discharge by the slope-area method, U.S. Geological Survey Techniques of Water-Resources Investigations, book 3, chap. A-2, 12 p.
- Deither, D.P., 1980, Reconnaissance study of Holocene glacier fluctuations in the Broken Top area, Oregon, Geological Society of America Abstracts with Program, v. 12, 104.
- Dyrness, C.T., 1967, Mass soil movements in the H.J. Andrews Experimental Forest, Research Paper PNW-42, 19 p., U.S. Dept. of Ag., Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR.
- Easterbrook, D.J., 1969, Pleistocene chronology of the Puget lowland and San Juan Islands, Washington, Geological Society of America Bulletin, v. 80, p. 2273-2286.
- Easterbrook, D.J., 1976a, Quaternary geology of the Pacific Northwest, in Quaternary Stratigraphy of North America, Mahaney, W.C., ed., p. 441-462, Dowden, Hutchinson, and Ross, Stroudsburg, Pennsylvania.
- Easterbrook, D.J., 1982, Characteristic features of glacial sediments, American Association of Petroleum Geologists Memoir, v. 31, p. 1-10.
- Elston, R.G. and Dugas, D.P., 1993, Dune islands and the archaeological record in Malheur Lake, U.S. Department of the Interior, Fish and Wildlife Services Cultural Resource Series, 7, U.S.D.I. Fish and Wildlife Service, Portland, Oregon.
- Feldman, S.A., 1989, Quaternary calcic paleosols in a loess-stratigraphic section, eastern Washington, M.S. theses, 130 p., Washington State University, Pullman.
- Forest Ecosystem Management Assessment Team (FEMAT), 1993, Forest ecosystem management: an ecological, economic, and social assessment, Portland, OR, U.S. Dept. of Agriculture, U.S. Dept. of Interior [and others], [irregular pagination].
- Fread, D.M., 1988, The National Weather Service DAMBRK model: theoretical background/user documentation: Hydrologic Research Laboratory, National Weather Service, Silver Spring, MD, 320 p.
- Friday, J. and Miller, S.J., 1984, Statistical summaries of streamflow data in Oregon: volume 2, Western Oregon, U.S. Geological Survey Open File Report 84-454-A, 254 p.
- Frissell, C.A., Liss, W.J., Warren, C.E., and Hurley, M.D., 1986, A hierarchical framework for stream habit classification: viewing streams in a watershed context, Environ. Manag., v. 10, p. 199-214.
- Glasmann, J.R. and Kling, G.F., 1980, Origin of soil materials in foothill soils of Willamette Valley, Oregon, Soil. Soc. Am. J., v. 44, p. 123-130.
- Graf, W.L., 1979, The development of montane arroyos and gullies, Earth Surf. Proc., v. 4, p. 1-14.
- Iverson, R.M., 1997, Debris-Flow flume at H.J. Andrews experimental forest, Oregon, U.S. Geological Survey Open-file Report 92-482: U.S. Geological Survey, Vancouver, WA.
- Grant, G.E., Swanson, F.J., and Wolman, M.G., 1990, Pattern and origin of stepped-bed morphology in high-gradient streams, Western Cascades, Oregon, Geol. Soc. Of Am. Bull., v. 102, p. 340-352.
- Harr, R.D., 1981, Some characteristics and consequences of snowmelt during rainfall in western Oregon, J. of Hydrol., v. 53, p. 277-304.
- Harris, D.D. and Hubbard, L.E., 1983, Magnitude and frequency of floods in eastern Oregon, U.S. Geological Survey Open-File Report 82-4078, 35 p.

Harris, D.D., Hubbard, L.L., and Hubbard, L.E., 1979, Magnitude and frequency of floods in western Oregon, U.S. Geological Survey Open-File Report 79-553, 39 p.

Hawkins, C.P., Kershner, J.L., Bisson, P.A., McCullough, D.A., Overton, C.K., Reeves, G.H., Steedman, R.J., and Young, M.K., 1993, A hierarchical approach to classifying stream habit features, *Fisheries*, v. 18, p. 3-12.

Heiken, G.H., 1971, Tuff rings: examples from the Fort Rock-Christmas Lake valley basin, south-central Oregon, *Journal of Geophysical Research*, v. 76, p. 5615-5626.

Heine, J.T., in press, Extent, timing, and climatic implications of glacier advances near Mont Rainier, Washington, U.S.A., at the Pleistocene/Holocene transition, *Quaternary Science Reviews*, v. 17.

Hicken, E.J., 1984, Vegetation and river channel dynamics, *Canadian Geographer*, v. 18, p. 111-126.

Hicks, S.D., Debaugh, H.A., and Hickman, L.E., 1983, Sea level variations for the United States, 1855-1980: Rockville, MD, U.S. Dept. of Commerce, NOAA, National Ocean Service, 170 p.

Hill, M., 1977, Glaciers of Mt. Shasta, California, *Geology*, v. 30, p. 75-80.

Hoxit, L.R., Maddox, R.A., Chappell, C.F., and Brua, S.A., 1982, Johnstown-western Pennsylvania storm and floods of July 19-20, 1977, U.S. Geological Survey Prof. Pap. 1211, 68 p.

Hunter, R.E., Richmond, B.M., and Alpha, T.R., 1983, Storm-controlled oblique dunes of the Oregon coast, *G.S.A. Bulletin*, v. 94, p. 1450-1465.

Hupp, G.R. and Osterkamp, W.R., 1996, Riparian vegetation and fluvial geomorphic processes, *Geomorphology*, v. 14, p. 277-295.

Johannessen, C.L., Davenport, W.A., Miller, A., and McWilliams, S., 1971, The vegetation of the Willamette valley, *Annals of the Association of American Geographers*, v. 61, p. 286-302.

Johnson, D.M., Peterson, R.R., Lycan, D.R., Sweet, J.n., and Schaedel, A.L., in press, Atlas of Oregon lakes: Corvallis, Oreg., Oregon State University Press.

Jones, J.A. and Grant, G.E., 1996, Long-term stormflow responses to clearcutting and roads in small and large basins, western Cascades, Oregon, *Water Resour. Res.*, v.32, p. 959.

Keller, E.A., 1971, Areal sorting of bed load material: the hypothesis of velocity reversal, *Geological Society of America Bulletin*, v. 2, p. 753-756.

Keller, E.A. and Melhorn, W.N., 1978, Rhythmic spacing and origin of pools and riffles, *Geol. Soc. Of Am. Bull.*, v. 89, p. 723-730.

Keller, E.A. and Swanson, F.J., 1979, Effects of large organic debris on channel form and fluvial processes, *Earth Surface Processes*, v. 4, p. 361-380.

Kelsey, H.M., 1990, Late Quaternary deformation of marine terraces on the Cascadia Subduction Zone near Cape Blanco, Oregon, *Tectonics*, v. 9, p. 983-1014.

Komar, P.D., 1986, The 1982-83 El Nino and erosion on the coast of Oregon, *Shore and Beach*, v. 54, p. 3-12.

Komar, P.D., 1992, Ocean processes and hazards along the Oregon coast, *Oregon Geology*, v. 54, p. 3-19.

Komar, P.D., 1998, Beach processes and sedimentation, 2nd ed., Upper Saddle River, NJ, Prentice-Hall, 429 p.

Komar, P.D. and Good, J.W., 1989, Long-term erosion impacts of the 1982-83 El Nino on the Oregon coast, Coastal Zone '89 (ASCE), pp. 3785-3794.

Komar, P.D., Torestenson, R.W., and Shih, S.M., 1991, Bandon, Oregon: coastal development and the potential for extreme ocean hazards, Shore and Beach, v. 57, p. 11-19.

Kondolf, G.M., 1995a, Evaluating stream restoration projects, Environmental Management, v. 19, p. 1-15.

Land, L.F., 1981, User's guide for a general purpose dam-break flood simulation model (K-634), U.S. Geological Survey Water-Resources Investigations Report 80-116, 106 p.

Lawford, R.G., 1993, Regional hydrologic responses to global change in western North America, in Earth system response to global change, Mooney, H.A., Fuentes, E.R., and Kronberg, B.I., eds., Academic, San Diego, p. 36-45.

Leopold, L.P., Wolman, M.G., and Miller, J.P., 1964, Fluvial Processes in geomorphology: Freeman, San Francisco, 522 p.

Lewin, J., 1978, Floodplain geomorphology, Progress in Physical Geography, v. 2, p. 408-437.

Lienkaemper, G.W. and Swanson, F.J., 1987, Dynamics of large woody debris in streams in old-growth Douglas-fir forests, Canadian Journal of Forest Research, v. 17, p. 150-156.

Lisle, T.E., 1979, A sorting mechanism for a riffle pool sequence, Geological Society of America Bulletin, v. 90, p. 1142-1157.

McDonald, E.V., and Busacca, A.J., 1988, Record of pre-late Wisconsin giant floods in the channeled scabland interpreted from loess deposits: Geology, v. 16, p. 728-731.

McDonald, E.V. and Busacca, A.J., 1990, Interaction between aggrading geomorphic surfaces and the formation of a late Pleistocene paleosol in the Palouse loess of eastern Washington state: Geomorphology, v. 3, p. 449-470.

McDonald, E.V., and Busacca, A.J., 1992, Late Quaternary stratigraphy of loess in the channeled scabland and Palouse of eastern Washington state: Quat. Res. N.Y., v. 38, p. 141-156.

McDowell, P., 1989, Geomorphology and soils [chapter 2], in Minor, R., Archaeology of the north Yaquina Head shell midden, central Oregon coast, U.S. Bureau of Land Management Cultural Resources Management Series Report 3, p. 6-18.

McDowell, P.F., 1991, Quaternary stratigraphic and geomorphic surfaces of the Willamette valley Oregon, in Quaternary non-glacial geology: coterminous U.S., Morrison, R.B., ed., p. 156-164, The Geological Society of America

McDowell, P.F., 1992, An Overview of Harney Basin geomorphic history, climate, and hydrology, in Land and life at Malheur Lake: Preliminary geomorphic and archaeological investigations, Raven, C. and Elston, R.G., eds., p. 13-34, U.S. Department of the Interior, Fish and Wildlife Cultural Resource Series, Number 8, U.S.D.I. Fish and Wildlife Service, Portland, Oregon.

McDowell, P.F. and Dugas, D.P., 1996, Holocene eolian and lake level variations in the Oregon Great Basin, in Ongoing paleoclimatic studies in the Northern Great Basin, Benson, L., ed., p. 53-54, U.S.G.S. Water Resources investigation Circular 1119.

- McInelly, G.W. and Kelsey, H.M., 1990, Late Quaternary tectonic deformation in the Cape Arago-Bandon region of coastal Oregon as deduced from wave-cut platforms, *Journal of Geophysical Research*, v. 95, p. 6699-6713.
- Magilligan, F.J., 1992, Thresholds and their spatial variability of flood power during extreme floods, *Geomorph.*, v. 5. P. 373-390.
- Marston, R.A., 1982, The geometric significance of log steps in forest streams, *Association of American Geographers Annals*, v. 72, p. 99-108.
- Mehring, P.J., and Cannon, W.J., 1994, Volcaniclastic dunes of the Fort Rock valley, Oregon: Stratigraphy, chronology, and archaeology, in *Archaeological research in the Great Basin: Fort Rock archaeology since Cressman*, Aitkens, C.M. and Jenkins, D.L., eds., p. 283-327, University of Oregon Anthropological Papers, No. 50.
- Miller, A.J., 1990a, Fluvial response to debris associated with mass wasting during extreme floods, *Geology*, v. 18, p. 599-602.
- Millspaugh, S.H. and Whitlock, C., 1995, A 750-year fire history based on lake sediment records in central Yellowstone National Park, *Holocene*, v. 5, p. 283-292.
- Mitchell, C.E., Weldon, R.J., Vincent, P., and Pittock, H.L., 1991, Active uplift of the PNW margin (abstract), EOS, the American Geophysical Union, v. 72, p. 314.
- Mock, C.J., 1996, Climatic controls and spatial variations of precipitation in the western United States, *Journal of Climate*, v. 9, p. 1111-1125.
- Moffat, R.L., Wellman, R.E., and Gordon, J.M., 1990, Statistical summaries of streamflow data in Oregon, vol. 1, Monthly and annual streamflow, and flow duration values, U.S. Geological Survey Open-File Report 90-118, Portland, OR, p. 413.
- Muhs, D.R., Kelsey, H.M., Miller, G.H., Kennedy, G.L., Whelan, J.F., and McInelly, G.W., 1990, Age estimates and uplift rates for late Pleistocene marine terraces: southern Oregon portion of the Cascadia forearc, *Journal of Geophysical Research*, v. 95, p. 6685-6698.
- Mullineaux, D.R., Wilcox, R.E., Ebaough, W.F., Fryxell, R., and Rubin, M., 1978, Age of the last major scabland flood of the Columbia Plateau in eastern Washington, *Quaternary Research*, v. 10, p. 171-180.
- Nanson, G.C. and Croke, J.C., 1992, A genetic classification of floodplains, *Geomorphology*, v. 4, p. 459-486.
- Nanson, G.C. and Knighton, A.D., 1996, Anabranching rivers: their cause, character and classification, *Earth Surface Processes and Landforms*, v. 21, p. 217-239.
- Nelson, A.R. and Personius, S.F., 1991, The potential for great earthquakes in Oregon and Washington: an overview of recent coastal geologic studies and their bearing on segmentation of Holocene ruptures, central Cascadia subduction zone, U.S. Geological Survey Open-File Report 91-441-A, 29 p.
- O'Connor, J.E., 1983, Hydrology, hydraulics, and geomorphology of the Bonneville Flood: Geological Society of America Special Paper 274, 83 p.
- O'Connor, J.E. and Baker, V.R., 1992, Peak discharges from Glacial Lake Missoula, *Geological Society of America Bulletin*, v. 104, p. 267-279.
- O'Connor, J.E., Webb, R.H., and Baker, V.R., 1986, Paleohydrology of pool-and-riffle pattern development, Boulder Creek, Utah, *Geol. Soc. Of Am. Bull.*, v. 97, p. 410-420.

Parsons, R.B., Balster, C.A., and Ness, A.O., 1970, Soil development and geomorphic surfaces, Willamette Valley, Oregon, Soil Science Society of America Proceedings, v. 34, p. 327-339.

Phillips, K.E. and Van Denburg, A.S., 1971, Hydrology and geochemistry of Abert, Summer, and goose Lakes, and other closed-basin lakes in south-central Oregon, U.S. Geological Survey Professional Paper 502-B.

Pierson, T.C., 1977, Factors controlling debris-flow initiation on forested hillslopes in the Oregon Coast Range, Ph.D. thesis, University of Washington, Seattle, 166 p.

Priest, G.R., Woller, N.M., Black, G.L., and Evans, S.H., 1983, Overview of the geology of the central Oregon Cascade Range, in Special Paper 15, Geology and Geothermal Resources of the Central Oregon Range, Priest, G.R. and Vogt, B.F., eds., Oregon Dept. of Geol. And Mineral Indust., p. 3-28.

Rantz, S.E. (compiler), 1982, Measurement of stage and discharge, in Measurement and computation of streamflow, U.S. Geological Survey Water-Supply Paper 2175, v. 1, p. 281-284.

Reilinger, R. and Adama, J., 1982, Geodetic evidence for active landward tilting of the Oregon and Washington Coastal ranges, Geophysical Research Letters, v. 9, p. 401-403.

Richards, K.S., 1976, The morphology of riffle-pool sequences, Earth Surface Processes, v. 1, p. 71-88.

Richards, K.S., 1978a, Channel geometry in the riffle-pool sequence, Geografiska Annaler, v. 60A, p. 23-27.

Richards, K.S., 1978b, Simulation of flow geometry in a riffle-pool stream, Earth Surface Processes, v. 3, p. 345-354.

Rosgen, D.L., 1994, A classification of natural rivers, Catena, v. 22, p. 169-199.

Ryder, J.M., 1981, Geomorphology of the southern part of the Coast Mountains of British Columbia, Zeitschrift fur Geomorphologie, v. 37, p. 120-147.

Sarna-Wojcicki, A.M., Shipley, S., Waitt, R.B. Jr., Dzurisin, D., and Wood, S.H., 1981, Areal distribution, thickness, mass, volume, and grain size of air-fall ash from the six major eruptions of 1980, in The 1980 Eruptions of Mount St. Helens, Washington, P. Lipman and D.R. Mullineaux, eds., U.S Geological Survey, Professional Papers 1250, p. 577-600.

Sayre, W.O., and Komar, P.D., 1988, The Jump-Off Joe landslide at Newport, Oregon: history of erosion, development and destruction, Shore and Beach, v. 56, p. 15-22.

Scott, M.L., Friedman, J.M., Auble, G.T., 1996, Fluvial process and the establishment of bottomland trees, Geomorphology, v. 14, p.327-339.

Scott, W.E., 1977, Quaternary glaciation and volcanism, Metolius River area, Oregon, Geological Society of America Bulletin, v. 88, p. 113-124.

Shih, S.M., 1992, Processes of sea cliff erosion on the Oregon coast: neotectonics to wave run-up, Ph.D. thesis, Corvallis, Oregon State University College of Oceanography, 135 p.

Sigafoos, R.S. and Hendricks, E.L., 1972, Recent activity of glaciers of Mount Rainier, Washington, U.S. Geological Survey Professional Paper, v. 387-B, p. B1-B24.

Sikonia, W.G., 1992, Mass-conserving methods of characteristics for streamflow modeling, U.S. Geological Survey Water-Supply Paper 2369: U.S. Geological Survey, Denver, CO, 44 p.

Snively, P.D., MacLeod, N.S., Wagner, H.C., and Weldon, W.R., 1976, Geologic map of the Yaquina and Toledo quadrangles, Lincoln County, Oregon, U.S. Geological Survey Map I-867, 1:62,500.

Sniver, M. and Becker, B., 1993, High-precision decadal calibration of the radiocarbon time scale, AD 1950-6000 B.C., *Radiocarbon*, v. 35, p. 35-65.

Soil Conservation Service, 1984, Procedures for collecting soil samples and methods of analysis for soil survey, revised edition, U.S.D.A./S.C.S. Soil Survey Invet. Rep. No. 1, U.S. Govt. Print. Office, Washington, D.C.

Soil Survey Staff, 1951, Soil Survey Manual, Agricultural Handbook 18, Soil Conservation Service, U.S.D.A., Washington, D.C.

Soil Survey Staff, 1975, Soil taxonomy: a basic system of soil classification for making and interpreting soil surveys, Agricultural Handbook 436, Soil Conservation Service, U.S.D.A., Washington, D.C.

Soil Survey Staff, 1990, Keys to soil taxonomy (4th ed.), Soil Management Support Services Technical Monograph 19, Virginia Polytechnic Institute and State University, Blacksburg.

Soil Survey Staff, 1994, Keys to soil taxonomy (6th ed.), U.S.D.A., Soil Conserv. Serv., Washington, D.C.

Stuiver, M. and Pearson, G.W., 1993, High-precision bidecadal calibration of the radiocarbon time scale, AD 1950-500 BC and 2500-6000 BC, *Radiocarbon*, v. 35, p. 1-23.

Stuiver, M. and Reimer, P.J., 1993, Extended carbon-14 database and revised CALIB radiocarbon program, *Radiocarbon*, v. 35, p. 215-230.

Sunamura, T., 1992, *Geomorphology rock coasts*, New York, Wiley, 302 p.

Suwa, H. and Okuda, S., 1980, Dissection of valleys by debris flows, *Z. Geomorph. N.F. Suppl. Bd.*, v. 35, p. 164-182.

Swanson, F.J., 1981, Fire and geomorphic processes, in fire regimes and ecosystem properties, U.S. Forest Service General Technical Report WO-26, p. 401-420.

Swanson, F.J. and James, M.E., 1975b, Geomorphic history of the lower Blue River-Lookout Creek area, western Cascades, Oregon, *Northwest Sci.*, v. 49, p. 1-11.

Swanson, F.J., Fredriksen, R.L., and McCorison, F>M., 1982, Material transfer in a western Oregon forested watershed, in *Analysis of coniferous forest ecosystems in the western United States*, p. 233-266, US/IBP Synthesis Ser., Hutchinson Ross Publ., Stroudsburg, Penn.

Takahashi, G., 1990, A study on the riffle-pool concept, *Transactions of the Japanese Geomorphological Union*, v. 11, no.4, p. 319-336.

Taylor, E.M., 1968, Roadside geology, Santiam and McKenzie Pass highways, Oregon, Oregon Dept. of Geology and Mineral Industries Bulletin, v. 62, p. 3-33.

Taylor, E.M., 1979, Central high Cascade roadside geology, Bend, Sisters, McKenzie Pass, and Santiam Pass, Oregon, Field Trip Guide, American Geophysical Union, Bend, Oregon.

Thompson, R.S., Whitlock, C., Bartlein, P.J., Harrison, S.J., and Spaulding, W.G., 1993, Climactic changes in the western United States since 18,000 yr B.P., in *Global climates since the last glacial maximum*, Wright, H.E. Jr., Kutzbach, J.E., Webb, T. III, Ruddiman, W.F., Street-Perot, F.A., and Bartlein, P.J., eds., p. 473-517, Univ. of Minnesota Press, Minneapolis, MN.

Thorne, C.R, Chang, H.H, and Hey, R.D., 1988, Prediction of hydraulic geometry of gravel-bed streams using the minimum stream power concept, in White, W.R. (ed.) International Conference on River Regime: John Wiley and Sons, Publishers, Chichester, p. 29-40.

Vincent, P., 1989, Geodetic deformation of the Oregon Cascadia margin, M.S. dissertation, Eugene, University of Oregon, 86 p.

Wahrhaftig, C. and Cox, A., 1959, Rock glaciers in the Alaska Range, Geological Society of America Bulletin, v. 70, p. 383-436.

Waitt, R.B., 1977, Guidebook to Quaternary geology of the Columbia, Wenatchee, Pechastin, and upper Yakima valleys, west-central Washington, U.S. Geological Survey Open File Report, v. 77-753, 25 p.

Waitt, R.B., 1979, Late Cenozoic deposits, landforms, stratigraphy, and tectonism in Kittitas valley, Washington, U.S. Geological Survey Professional Paper, v. 1127, 18 p.

Waitt, R.B. Jr., 1980, About forty last-glacial Lake Missoula jokulhlaups through southern Washington: Journal of Geology, v. 88, p. 653-679.

Waitt, R.B. Jr., 1984, Periodic jokulhlaups from Pleistocene Lake Missoula—New evidence from varved sediment in northern Idaho and Washington: Quaternary Research, v. 22, p. 46-58.

Waitt, R.B. Jr., 1985, Case for periodic, colossal jokulhlaups from Pleistocene Lake Missoula: Geological Society of America, v. 96, p. 1271-1286.

Walker, G.W. and Swanson, D.A., 1968, Summary report on the geology and mineral resources of the Harney Lake and Malheur Lake areas of the Malheur National Wildlife Refuge, north-central Harney Country, Oregon, U.S. Geological Survey Bulletin, 1260-L, 93 p.

Whittaker, J.G. and Jaeggi, M.N.R., 1982, Origin of step-pool systems in mountain streams, American Society of Civil Engineers Journal of the Hydraulics Division, v. 8, no. HY6, p. 758-773.

Wohl, E., 1994, Energy Expenditure in deep, narrow bedrock canyons: Geological Society of America Abstract with Programs, v. 26, p. 233-234.

Yang, C.T., 1971, Formation of riffles and pools, Water Resources Research, v. 7, p. 1567-1574.

Yeats, R.S., 1989, Current assesment of earthquake hazard in Oregon, Oregon Geology, v. 51, no. 4, p. 90-91.

Zimmerman, R.C., Goodlett, J.C., and Comer, G.H., 1967, The influence of vegetation on channel form in small streams, Inter. Assoc. Hydrol. Sci. Pub., v. 75, p. 225-275.